

Washroom Accessories



BUILDING VALUE SINCE 1906

New from Bobrick...



SureFlo™ Automatic
Soap and Foam
Dispensers

Page 8



Automatic Wall-
mounted Soap
Dispenser

Page 9



Paper Towel Dispenser/
Hand Dryer/Waste Bin
3-in-1 Combination
Unit

Page 12



Koala Kare™
Stainless Steel Veneer
Baby Changing Station

Page 24



Wall-mounted High-
speed Hand Dryer

Page 22

www.bobrick.co.uk

www.bobrick.la

www.bobrick.de

www.bobrick.com

For additional information:

Technical Data Sheets

Installations Instructions

CAD Files

Specification Text

Bobrick.co.uk: EnglishFor English-speaking markets other
than the US and Canada**Bobrick.de: German****Bobrick.la: Spanish****Bobrick.com: English**

BIM Files

Corporate site for the US and Canada

Bobrick-Koala.com

Product Videos

Washroom Accessories

Soap Dispensers	8-11
Combination Towel & Waste	12-15
Paper Towel Dispensers	16-17
Waste Bins	18-19
Warm Air Hand Dryers	22-23
Mirrors	32-33

Toilet Compartment Accessories

Toilet Tissue Dispensers	27-29
Grab Bars and Shower Seats	30-31
Sanitary Disposals	38-39
Toilet Seat Cover Dispensers	26

Child Care Products

Baby Changing Stations	24-25
Child Protection Seats	25
Baby Changing Station Bed Liners	25

Bathroom Accessories

Medicine Cabinets	34
Facial Tissue Dispenser	34
Hooks	34-35
Shelves and Towel Bars	35-36
Toilet Brush Holder	35
Soap Dishes	37
Shower Accessories	37

**Note: All dimensions listed are in millimetres (mm),
unless otherwise noted.****Numerical Product Index**

Model No.	Page No.	B-274	27	B-3699	14	B-43644	18	B-6747	36	B-76717	35
B-155	11	B-2740	27	B-3803	13	B-4369	12	B-676	36	B-7672	34
B-165 Series	32	B-275	19	3803-130	13	B-43699	12	B-677	35	B-76727	34
B-1658 Series	33	B-277	18	B-38030	12	B-4380	37	B-6777	35	B-7685	28
B-166 Series	32	B-279	18	B-38032	13	B-4388	27	B-680	37	B-76857	28
B-2012	9	B-2860	17	B-38033	13	B-4390	37	B-6806	30	B-7686	28
B-2013	9	B-287	35	B-38034	13	B-43944	12	B-6806.99	30	B-76867	28
204-1	37	B-2888	27	B-380349	13	B-43949	12	B-6807	37	B-770	23
204-2	37	B-2890	29	B-386	28	B-4998	31	B-68137	30	B-778	23
204-3	37	B-2892	29	B-3888	27	B-4998.99	31	B-68137.99	30	815969	13
B-207	37	B-290 Series	32	B-39003	13	B-5181	31	B-682	34	818615	10
B-211	35	B-2908 Series	33	39003-130	13	B-5191	31	B-6827	34	B-822 Series	9
B-2111	11	B-292 Series	32	B-3942	14	B-526	16	B-683	36	B-824	8
B-2112	11	B-293 Series	33	B-3944	14	B-527	18	B-685	28	B-828	8
B-2116	35	B-294 Series	33	3944-130	14	B-529	18	B-6857	28	B-8397	34
B-212	35	B-297	34	3944-134	14, 15, 18	B-532	18	B-686	28	B-8601	11
B-221	26	B-2974	17	3944-52	15	B-541	29	B-6861	30	B-922 Series	9
B-2250	19	B-29744	17	B-3947	14	B-542	34	B-6861.99	30	KB100-00ST-INB	25
B-2260	19	B-299	34	B-3949	14	B-543	29	B-68616	30	KB101-00-INB	25
B-2280	19	B-3013	26	B-3961	14	B-544	35	B-68616.99	30	KB102-00	25
B-2300	19	B-306	10	3961-50	15	B-545	36	B-6867	28	KB110-SSRE	24
B-233	35	B-318	16	B-39617	14	B-5806	31	B-687	36	KB110-SSRE-INB	24
B-2400	19	B-3474	26	B-39619	14	B-5806.99	31	B-699	28	KB110-SSWM	24
B-254	38	B-353	39	B-397	34	B-58616	31	B-6997	28	KB110-SSWM-INB	24
B-262	16	B-35303	38	B-3974	14	B-58616.99	31	B-6999	28	KB111-SSRE	24
262-130	16, 17	B-354	39	3974-50	15	B-6047	37	B-69997	28	KB111-SSRE-INB	24
B-2621	17	B-3541	38	3974-55	8, 14, 15, 17	B-6107	37	B-700	23	KB111-SSWM	24
B-26607	10	B-357	26	B-39747	14	B-6699	28	B-710	23	KB111-SSWM-INB	24
B-26617	10	B-3574	26	B-3979	14	B-66997	28	B-710E	23	KB150-99	25
B-26627	10	B-3579	26	B-398	34	B-670	35	B-7120	22	KB200-00	24
B-26637	10	B-359	17	B-40	11	B-6707	35	B-7128	22	KB200-00-INB	24
B-270	38	B-35903	16	B-4063	10	B-671	35	B-715	22	KB200-01SS	24
B-272	27	B-3644	18	B-4112	10	B-6717	35	B-715E	22	KB200-01SS-INB	24
B-2721	27	367-60	15	B-4221	26	B-672	34	B-72974	17	KB208-01	25
B-273	27	368-60	15	B-4262	16	B-6727	34	B-740	22	KB208-01-INB	25
B-2730	27	B-369	14	B-4288	27	B-673	36	B-748	22		
B-27313	29	369-130	13, 14, 16	B-4353	38	B-6737	36	B-750	23		
		B-36903	13	B-4354	38	B-674	36	B-7671	35		

Three Design-Integrated Collections

ConturaSeries™

ConturaSeries sets the bar for design innovation and quality. ConturaSeries towel dispensers feature the TowelMate™ paper saving system. TowelMate limits paper delivery to one towel at a time, eliminating towel bunching and waste. Saves 20% or more in paper towels used; preserving the environment and lowering operating costs.

ConturaSeries waste bins include LinerMate™ bag holders. LinerMate provides a neat, flush appearance with no unsightly bag overhang.

ConturaSeries is manufactured with satin-finish type 304 stainless steel.



Complimentary curvilinear 27° arcs, radii and reveals



Seamless monoform draws, flush locks, precise fit and finish



Flush-mounted, rectangular doors and openings



Consistent unidirectional grain, concealed flanges

TrimLineSeries™

TrimLineSeries features a contemporary minimalist design and recessed mounting, manufactured with satin-finish type 304 stainless steel. The low-profile TrimLineSeries warm air hand dryer visually complements the Series and supports inclusive design for accessibility compliance.

TrimLineSeries features 90° angles on all exterior and interior corners and openings. Flanges are concealed for additional design simplicity.



Classic bevelled flanges, hemmed edges, piano hinges



Ideal for budget projects; standard for lasting durability

ClassicSeries™

A bevelled flange is the visual trademark of the ClassicSeries, the traditional standard for our most comprehensive selection of satin-finish type 304 stainless steel accessories. Newest amongst them is our automatic roll towel dispensers, available in surface-mounted, semi-recessed and modular towel/waste combination units.

ClassicSeries accessories feature satin-finish stainless steel throughout, whilst being engineered for the economic demands of price-sensitive projects.



Prestige Environments

Washrooms with a Sense of Occasion

In these prestigious buildings and signature projects, typical washroom characteristics would include excellent architectural design and the use of high-quality materials and equipment. Traffic flow would normally be moderate to low and abuse negligible.

For those buildings, where only a distinctive design statement and co-ordinated, high-quality finishes are appropriate, stainless steel washroom accessories are the natural choice.

Here, the flush fit of TrimLineSeries and the subtle curve of ConturaSeries provide valuable creative flexibility. These design features give strong visual continuity to both ranges. And the strength of their stainless construction means that their good looks will stand the test of time.

Corporate Headquarters

Civic and Performing Arts Centres

Major Universities

High Specification Office Projects



Guggenheim Museum, Bilbao, Spain



Atlantis, The Palm, Dubai



Albany Entertainment Centre,
Western Australia

Trump Ocean Club, Panama • Festspielhaus, Bregenz • New Street Square, London • Ocean Financial Centre, Singapore
City of Dreams, Macau • The Getty Center, Los Angeles • Burj Khalifa, UAE • Hotel Westin, Cancun • London Coliseum
KPMG Headquarters, Berlin • Banco Santander, Sao Paulo • The Museum of Modern Art, New York • CISCO, Bangalore



Being Green and Seeing Green.

Bobrick takes sustainable product design and manufacturing seriously. BOBRICK GREEN is a public statement defining the Company's commitment to assist architects and building owners in the planning and implementation of a Green policy. The results are contributions to the LEED Certification Program, operating cost reductions and social responsibility.

Reduce & Reuse.

Bobrick's green leaf symbol is used on our web site (www.bobrick.com) to signify particular products that save paper and/or reduce waste by complying with the USEPA Reduce & Reuse Resource Conservation Initiative.



Roll Towel Dispensers reduce towel use by up to 30%. (p.14, 15, 17)

- Adjustable towel lengths.
- Shorter second pull lengths.
- Delayed second activation.
- Zero waste stub roll utilization.

TowelMate reduces towel use up to 20%. (p. 12-14, 16-17)

- Dispenses one towel at a time.
- Prevents dispensing by the handful.

Warm Air Hand Dryers eliminate paper towels completely. (p. 22-23)

- Towel trash removal also eliminated.
- 95% cost savings compared to paper towel usage.

3-in-1 Units offer the perfect balance between warm air hand dryers and paper towels. (p. 12-13)

- Less consumption and waste than solely using paper towels.
- Less energy than stand-alone warm air hand dryers.

Bulk-Fill Soap Dispensers eliminate cartridges. (p. 8-11)

- No more wasted soap from disposal of partially-filled cartridges.
- Substantially reduces landfill impact from discarded plastic cartridges.

Recycled Restroom Accessory construction.

- Bobrick accessories are fabricated of 50%-70% recycled stainless steel.
- Designed for durability, Bobrick products stand up to heavy use, abuse and vandalism.

Koala Kare Baby Changing Stations. (p. 24-25)

- Fabricated of up to 46% recycled polyethylene or up to 68% stainless steel.
- Treated with Microban™ antimicrobial product protection.



Heavy Traffic Environments

High Capacity and Extreme Durability

Typically, these are buildings with public access where large groups of people require the use of washroom facilities, often over short periods. In this case, washrooms and the accessories within them have to withstand periods of extremely high usage. Vandalism and abuse are to be expected and durability and extra-large capacities become essential design considerations.

Intensive usage places high demands on the durability of products used in the washroom environment. High capacity allows reasonable service intervals to be maintained without compromising washroom tidiness.

Stainless steel is ideal for these harsh conditions, providing long life while retaining its aesthetics.



Maracanã Stadium, Rio de Janeiro



Chhatrapati Shivaji International Airport,
Mumbai



ION Orchard Shopping Centre, Singapore

Shopping Precincts and Theatres

Sports Stadia and Concert Halls

Public Transport Hubs

Amusement Parks

Taiwan High Speed Rail	•	Dubai International Airport	•	Royal Festival Hall, London	•	Knott's Berry Farm, Los Angeles
Oberoi Mall, Mumbai	•	Disneyland, Hong Kong	•	World Square Shopping Centre, Sydney	•	Eden Park Stadium, Auckland
Bahrain City Centre	•	Aeropuerto Internacional Benito Juárez, Mexico	•	Sun Atlantis Convention Center, Bahamas		



New



B-824
SureFlo Automatic Counter-Mounted
Soap Dispenser

Top-Filling Counter-Mounted Soap Dispensers.

- Chrome finish for design continuity.
- Convenient top-filling for labour savings.
- Use of non-proprietary bulk liquid soaps for significant cost-in-use savings.
- Automatic, no-touch activation minimises cross-contamination.
- Post-consumer waste reduction by 57% versus cartridges contributes to sustainability.
- Unique portion control feature balances patron satisfaction with operating budget.

B-828 Similar to B-824, but dispenses foam.

	B-824	B-828
Capacity (litres)	1.0	1.0
Maximum Mounting Thickness (mm)	51	51



3974-55
External AC Adapter

For Models B-824 and B-828. Includes adapters for most plug configurations.



New



B-2012 Automatic Wall-Mounted Soap Dispenser

- No-touch sensor-activation promotes hygiene and convenience.
- Satin-finish stainless steel is durable and coordinates with other Bobrick accessories.
- Bulk-fill 850ml reservoir provides significant savings compared to proprietary cartridges.
- Dispenses hand sanitisers and surgical soaps.
- Easily installs almost anywhere with screws or double-sided adhesive (provided).

B-2013 Similar to B-2012, but dispenses foam.

Capacity (litres)	0.85
Width	108
Height	242
Depth	107



B-822 B-8221 B-82216 B-8226

B-822 Series ConturaSeries Counter-Mounted Soap Dispenser

Top-Filling Counter-Mounted Soap Dispensers

- For ease of maintenance and labour savings.
- Vandal-resistant locking cover and free-turning spout.
- Corrosion-resistant.
- Bright-polished spout, cover and escutcheon.
- High-impact-resistant ABS body and shank.
- Shatter-resistant polyethylene container.

	B-822	B-8221
Capacity (litres)	1.0	0.6
Spout Length	100	100
Maximum Mounting Thickness	100	25

	B-8226	B-82216
Capacity (litres)	1.0	0.6
Spout Length	150	150
Maximum Mounting Thickness	100	25



B-922 ConturaSeries Counter-Mounted Reservoir Soap Dispenser

Under-Counter Reservoir Soap System

- 914mm long supply tube which can be cut-to-size in the field.
- Equipped with 254mm long, translucent plastic elbow for visible soap level and 838mm flexible connector hose which can be cut-to-size in the field.
- Specify one unit for each basin; each providing 3.4L soap capacity, plus capacity of pipe connections.

	B-922	B-9226
Spout Length	100	150

922-45	ABS End Cap (set of 2 caps)
---------------	-----------------------------





B-4112
ConturaSeries
Surface-Mounted Soap Dispenser

Corrosion-resistant valve dispenses commercially marketed all-purpose hand soaps. Container is satin-finish stainless steel. Capacity: 1.2L. Soap refill window. Concealed wall fastening. Hinged filler-top requires special key to open. Vandal resistant.

818615 Similar to B-4112, but made with type 316 stainless steel.

Width	178
Height	156
Depth Wall to Push-button	84
Accessibility Mounting Height	1245



B-4063
ConturaSeries
Recessed Soap Dispenser

Corrosion-resistant valve dispenses commercially marketed all-purpose hand soaps. Front of dispenser drawn, satin-finish stainless steel with covered, plastic soap vessel attached to back. Capacity: 1.5L. Soap refill window. Pulls out for filling and maintenance. Concealed locking device. Vandal resistant.

	Unit	Wall Opening
Width	185	149
Height	162	140
Recess	98	102
Projection Wall to Push-button	41	N/A
Accessibility Mounting Height	1245	1230



B-26607
TrimLineSeries
Surface-Mounted Liquid Soap Dispenser

Satin-finish stainless steel. Accepts liquid soap cartridges or bulk-fill soaps. Push activated with less than 22.2N. Capacity: 500ml. Concealed wall fastening. Hinged housing with key lock and soap refill window. Vandal resistant.

B-26617 Similar to B-26607, but with 1L capacity.

	B-26607	B-26617
Width	96	96
Height	298	337
Projection	153	153
Capacity	0.5	1
Accessibility Mounting Height	1380	1420



B-26627
TrimLineSeries
Surface-Mounted Foam Soap Dispenser

Satin-finish stainless steel. Accepts foam soap cartridges or bulk-fill foam soaps. Push activated with less than 22.2N. Capacity: 500ml. Concealed wall fastening. Hinged housing with key lock and soap refill window. Vandal resistant.

B-26637 Similar to B-26627, but with 1L capacity.

	B-26627	B-26637
Width	96	96
Height	298	337
Projection	153	153
Capacity	0.5	1
Accessibility Mounting Height	1380	1420



B-306
TrimLineSeries
Recessed Soap Dispenser

Satin-finish stainless steel. Door has 90° return, conceals flange. Enclosed plastic soap vessel on back of door. Swings open for easy filling. Full-length hinge and key lock secure door to cabinet. Capacity: 1.3L. Corrosion-resistant valve dispenses commercially marketed all-purpose hand soaps. Soap refill window.

	Unit	Wall Opening
Width	241	213
Height	140	111
Recess	97	98
Projection Wall to Push-button	76	N/A
Accessibility Mounting Height	1215	1195

Note: Bobrick stainless steel soap dispensers (except B-2012) are not designed to dispense alcohol-based hand sanitisers or iodine-based surgical soaps. To help prevent corrosion and extend the service life of B-2111, B-2112, and B-4112 soap dispensers, liquid soaps should be chloride free and pH-neutral.



B-2111
ClassicSeries
Surface-Mounted Soap Dispenser

Vertical tank is satin-finish stainless steel. Corrosion-resistant valve dispenses commercially marketed all-purpose hand soaps. Capacity: 1.2L. Soap refill window. Concealed wall fastening. Hinged filler-top requires special key to open. Vandal resistant.

Width	121
Height	206
Depth Wall to Push-button	89
Accessibility Mounting Height	1290



B-2112
ClassicSeries
Surface-Mounted Soap Dispenser

Horizontal tank is satin-finish stainless steel. Corrosion-resistant valve dispenses commercially marketed all-purpose hand soaps. Capacity: 1.2L. Soap refill window. Concealed wall fastening. Hinged filler-top requires special key to open. Vandal resistant.

Width	206
Height	121
Depth Wall to Push-button	89
Accessibility Mounting Height	1205



B-40
ClassicSeries
Surface-Mounted Soap Dispenser

Two-tone styling in black and grey. Corrosion-resistant valve dispenses commercially marketed all-purpose hand soaps. Vandal-resistant lid has unique keyless locking device. Lid pivots up after lock is disengaged for easy top filling. Translucent container provides visible soap level. Capacity: 1.2L. Concealed wall fastening. Unit is removable from wall for cleaning.

Width	148
Height	175
Depth Wall to Push-button	81
Accessibility Mounting Height	1270



B-155
ClassicSeries
Surface-Mounted LiquidMate™
Soap Dispenser

Bright-polished, chrome-plated ABS mounting bracket. Corrosion-resistant valve dispenses thin, free-flowing commercially marketed all-purpose hand soaps. Translucent polyethylene container provides visible soap level. Capacity: 0.7L.

Width	102
Height	194
Depth	105
Depth Wall to Push-button	70
Accessibility Mounting Height	1285



B-8601
Panel-Mounted Soap Dispenser

Corrosion-resistant valve mounts into 18mm diameter hole through 32 to 51mm thick panel; projects 83mm. Dispenses liquid and lotion soaps, and synthetic detergents. Translucent, shatter-resistant polyethylene container mounts on opposite side of panel and feeds soap valve through supply tube. Capacity: 1.0L.





New



B-38030

TrimLineSeries
Recessed Paper Towel
Dispenser/Automatic Hand
Dryer/Waste Bin

Meets accessibility code requirements when properly installed. Satin-finish stainless steel. Flush key lock. Dispenses 450 C-fold or 600 multi-fold towels. TowelMate feature built-in. Removable, leak-proof 12.5L waste bin. Hand dryer: 220-240V AC, 4 Amp, 900 Watts, 50/60 Hz, Single Phase, VDE approved, CE marked.*

	Unit	Wall Opening
Width	396	347
Height	1448	1398
Recess	100	102

*Approval pending at time of publication.

B-43944

ConturaSeries
Recessed Paper Towel
Dispenser/Waste Bin with
TowelMate and LinerMate

Satin-finish stainless steel. Flush key lock. Dispenses 600 C-fold or 800 multifold towels. Waste bin has 53.8L capacity. Removable front panel for easy cleaning.

B-43949 Similar to B-43944, but with stainless steel skirt for surface mounting.



	Unit		Wall Opening
	B-43944	B-43949	B-43944
Width	443	446	406
Height	1429	1432	1391
Recess	100	N/A	102
Projection	130	232	N/A
Accessibility Mounting Height	1555	1555	1530

B-4369

ConturaSeries
Recessed Paper Towel
Dispenser/Waste Bin with
TowelMate and LinerMate

Satin-finish stainless steel. Flush key lock. Dispenses 350 C-fold or 475 multifold towels. Waste bin has 9.8L capacity. Removable front panel for easy cleaning.

B-43699 Similar to B-4369, but with stainless steel skirt for surface mounting.



	Unit		Wall Opening
	B-4369	B-43699	B-4369
Width	324	327	298
Height	711	714	676
Recess	100	N/A	102
Projection	64	168	N/A
Accessibility Mounting Height	1340	1340	1315



B-3803

TrimLineSeries Recessed Paper Towel Dispenser/Waste Bin

Satin-finish stainless steel. Door has 90° return, conceals flange. Dispenses 600 C-fold, 800 multifold or 1100 single-fold towels. Removable, leak-proof, 23.8L waste container.

B-38032 Similar to B-3803, but with 51mm stainless steel skirt for semi-recessing.

B-38034 Similar to B-3803, but only dispenses C-fold and multifold towels. Waste capacity: 14.4L.

B-380349 Similar to B-38034, but with stainless steel skirt for surface mounting.

3803-130 Optional TowelMate Paper Towel Dispenser Accessory for dispensing a single towel with each pull.

	Unit		Wall Opening	
	B-3803	B-38034	B-3803	B-38034
Width	330	330	292	292
Height	1400	1400	1362	1362
Recess	143	92	146	95
Projection	14	14	N/A	N/A
Accessibility Mounting Height	1545	1545	1520	1520



B-38033

TrimLineSeries Recessed Paper Towel Dispenser/Automatic Hand Dryer/ Waste Bin

Satin-finish stainless steel. Door has 90° return, conceals flange. Dispenses 450 C-fold, 600 multifold or 850 single-fold towels. Removable leak-proof, 12.5L waste container. Hand dryer: 220-240V AC, 7 Amp, 1500-1700 Watts, 50/60 Hz, Single Phase, VDE approved and CE marked.

815969 Similar to B-38033, but unit is narrower and taller.

	Unit		Wall Opening	
	B-38033	815969	B-38033	815969
Width	384	330	349	292
Height	1416	1829	1381	1794
Recess	143	143	146	146
Projection	14	14	N/A	N/A
Accessibility Mounting Height	1545	1740	1520	1740



B-39003

TrimLineSeries Recessed Paper Towel Dispenser/Waste Bin

Satin-finish stainless steel. Door has 90° return, conceals flange. Dispenses 600 C-fold, 800 multifold or 1100 single-fold towels. Removable, leak-proof, 45.4L waste container.

39003-130 Optional TowelMate Paper Towel Dispenser Accessory for dispensing a single towel with each pull.

	Unit	Wall Opening
Width	437	406
Height	1422	1391
Recess	194	200
Projection	14	N/A
Accessibility Mounting Height	1535	1510



B-36903

TrimLineSeries Recessed Paper Towel Dispenser/Waste Bin

Satin-finish stainless steel. Door has 90° return, conceals flange. Dispenses 300 C-fold or 400 multifold towels. Removable, leak-proof, 6.1L waste container. Cabinet does not lock.

369-130 Optional TowelMate Paper Towel Dispenser Accessory for dispensing a single towel with each pull.

	Unit	Wall Opening
Width	330	292
Height	791	749
Recess	92	95
Projection	14	N/A
Accessibility Mounting Height	1295	1270



B-3974

ClassicSeries Recessed Convertible Automatic Roll Towel Dispenser/Waste Bin

Sensor-operated towel dispenser accepts non-proprietary roll paper towels 203mm diameter, 203mm wide, 244mm long with 38 to 51mm diameter standard core. Accommodates stub roll up to 89mm diameter with automatic transfer. Battery or AC powered. Battery requirements: 4 Alkaline D Cells (not included). Removable 45.4L waste bin is locked into cabinet. Bin is 205mm deep; extends 105mm from wall.

B-3979 Similar to B-3974, but with 100mm skirt for surface mounting.

B-39747 Similar to B-3974, but with 68.1L waste bin.

3944-134 Optional LinerMate Bin Liner Retainer Accessory for managing disposable bin liners.

3974-55 External AC Adapter (6V) available for B-3974, B-3979, B-39747.

	Unit			Wall Opening	
	B-3974	B-3979	B-39747	B-3974	B-39747
Width	437	445	437	406	406
Height	1422	1430	1422	1391	1391
Recess	100	N/A	100	102	102
Projection	130	235	206	N/A	N/A
Accessibility Mount. Ht.	1536	1508	1536	1511	1511



B-3944

ClassicSeries Recessed Convertible Paper Towel Dispenser/Waste Bin

Unit includes folded paper towel module and 45.4L waste bin module which can be interchanged with an automatic or touch-free roll towel module and 68.1L waste bin module. Cabinet is not replaced when changing modules. Seamless, bevelled flange. Dispenses 600 C-fold or 800 multifold towels. Removable waste bin is locked into cabinet. Bin is 205mm deep.

B-3942 Similar to B-3944, but with a 51mm stainless steel skirt for semi-recessed mounting.

B-3947 Similar to B-3944, but with 68.1L waste bin.

B-3949 Similar to B-3944, but with 100mm stainless steel skirt for surface mounting.

3944-130 Optional TowelMate Paper Towel Dispenser Accessory for dispensing single towel with each pull.

3944-134 Optional LinerMate Bin Liner Retainer Accessory for managing disposable bin liners.

	Unit				Wall Opening	
	B-3944	B-3942	B-3949	B-3947	B-3944/B-3947	B-3942
Width	437	443	443	437	406	406
Height	1422	1429	1429	1422	1391	1391
Recess	100		N/A	100	102	51
Projection	105	158	210	208	N/A	N/A
Accessibility Mount. Ht.	1537	1537	1511	1537	1511	1511



B-369

ClassicSeries Recessed Paper Towel Dispenser/Waste Bin

Satin-finish stainless steel. Seamless, bevelled flange. Dispenses 350 C-fold or 475 multifold towels. Knob-latch retains door. Removable waste bin has 7.6L capacity.

B-3699 Similar to B-369, but with 100mm stainless steel skirt for surface mounting.

369-130 Optional TowelMate Paper Towel Dispenser Accessory for dispensing single towel with each pull.

	Unit		Wall Opening
	B-369	B-3699	B-369
Width	356	362	321
Height	711	711	676
Recess	100	N/A	102
Projection	5	108	N/A
Accessibility Mounting Height	1310	1310	1285



B-3961

ClassicSeries Recessed Convertible Paper Towel Dispenser/Waste Bin

Unit includes touch-free roll towel module and 45.4L waste bin module which can be interchanged with an automatic or folded towel module and 68.1L waste bin module. Cabinet is not replaced when changing modules. Seamless, bevelled flange. Mechanism dispenses 305mm length per pull of non-proprietary roll paper towels. Accommodates 203mm wide, up to 203mm diameter rolls, 244mm long, plus 89mm diameter stub roll with automatic transfer. Removable waste bin is locked into cabinet. Bin is 205mm deep.

B-39617 Similar to B-3961, but with 68.1L waste bin.

B-39619 Similar to B-3961, but with 100mm stainless steel skirt for surface mounting.

3944-134 Optional LinerMate Bin Liner Retainer Accessory for managing disposable bin liners.

	Unit			Wall Opening	
	B-3961	B-39617	B-39619	B-3961	B-39617
Width	437	437	445	406	406
Height	1422	1422	1430	1391	1391
Recess	100	100	N/A	102	102
Projection	130	206	210	N/A	N/A
Accessibility Mounting Height	1537	1537	1508	1511	1511

Respond to changing needs without changing the washroom design.

Convertible series cabinets allow facility managers to change between folded, mechanical roll and automatic roll paper towel dispensers. Waste bin capacity can also be adjusted in the field without changing the cabinet. Modules below can be interchanged in B-3974, B-3944, B-3961 and their alternate models. Modules can also be used in many other manufacturers' similar cabinets.

**3974-50****Convertible Semi-Recessed Automatic Roll Towel Dispenser Module**

Satin-finish stainless steel. Accepts non-proprietary roll paper towels 203mm diameter, 203mm wide, 244m long with 38 to 51mm diameter standard core. Automatic transfer of stub roll up to 89mm diameter. Interchangeable module designed for installation in B-3944, B-3961 and other manufacturers' similar models.

3974-55 External AC Adapter (6V) available.

Width	386
Height	464
Depth	230

**3944-52****Convertible Folded Towel Dispenser Module**

Satin-finish stainless steel. Hemmed towel opening dispenses 600 C-fold or 800 multifold paper towels. Interchangeable module designed for installation in B-3961, B-3974 and other manufacturers' similar models.

3944-130 Optional TowelMate Paper Towel Dispenser Accessory for dispensing single towel with each pull.

Width	386
Height	529
Depth	230

**3961-50****Convertible Touch-Free Pull-Towel Roll Paper Towel Dispenser**

Satin-finish stainless steel. Accepts non-proprietary roll paper towels 203mm diameter, 203mm wide, 244m long with 38 to 51mm diameter standard core. Automatic transfer of stub roll up to 89mm diameter. Interchangeable module designed for installation in B-3944, B-3974 and other manufacturers' similar models.

Width	386
Height	464
Depth	230

**367-60****Convertible Waste Bin Module**

Satin-finish stainless steel with hemmed edges. 45.4L interchangeable module designed for installation in B-39747, B-3947, B-39617 and other manufacturers' similar models. Secured to cabinet with key lock.

3944-134 Optional LinerMate Bin Liner Retainer Accessory for managing disposable bin liners.

Width	386
Height	584
Depth	203

**368-60****Convertible Waste Bin Module**

Satin-finish stainless steel with hemmed edges. 68.1L interchangeable module designed for installation in B-3974, B-3944, B-3961, B-3979, B-3942, B-3949, B-39619 and other manufacturers' similar models. Secured to cabinet with key lock.

Width	386
Height	584
Depth	308



B-4262

ConturaSeries Surface-Mounted Paper Towel Dispenser with TowelMate

Satin-finish stainless steel. Top of cabinet equipped with key lock. Door swings down for loading towels. Dispenses 400 C-fold or 525 multifold towels. Cabinet slots indicate refill time.

Width	275
Height	337
Depth	119
Accessibility Mounting Height	1321



B-318

TrimLineSeries Concealed Paper Towel Dispenser

Satin-finish stainless steel. Dispenses 600 C-fold or 800 multifold towels. Towels load into bottom of cabinet concealed behind wall or mirror; only the towel tray is visible. Add 152mm to wall opening to provide minimum clearance space below towel tray. Add thickness of wall finish to wall opening depth.

	Unit	Wall Opening
Width	291	305
Height	457	464
Recess	109	114
Accessibility Mounting Height	1441	1441



B-526

TrimLineSeries Countertop-Mounted Recessed Paper Towel Dispenser

Satin-finish stainless steel. Flange has 90° return. Towels load into top of dispenser. Dispenses 300 C-fold or multifold towels. Mounts in countertops 19 to 38mm thick. Housing below countertop to conceal dispenser is not included.

	Unit	Countertop Opening
Width	324	311
Height	152	114
Recess	281	432
Projection	6	N/A



B-35903

TrimLineSeries Recessed Paper Towel Dispenser

Satin-finish stainless steel. Door has 90° return, conceals flange. Dispenses 300 C-fold or 400 multifold towels. Cabinet does not lock.

369-130 Optional TowelMate Paper Towel Dispenser
Accessory for dispensing single towel with each pull.

	Unit	Wall Opening
Width	330	292
Height	481	438
Recess	92	95
Projection	14	N/A
Accessibility Mounting Height	1321	1295



B-262

ClassicSeries Surface-Mounted Paper Towel Dispenser

Hemmed towel tray opening. Satin-finish stainless steel. Dispenses 400 C-fold or 525 multifold towels. Door has key lock and piano-hinge. Cabinet slots indicate refill time.

262-130 Optional TowelMate Paper Towel Dispenser
Accessory for dispensing single towel with each pull.

Width	273
Height	356
Depth	102
Accessibility Mounting Height	1372



B-2974 Automatic Surface-Mounted Roll Towel Dispenser

Satin-finish stainless steel. Accepts non-proprietary roll paper towels 203mm diameter, 203mm wide, 244m long with 38 to 51mm diameter standard core. Automatic transfer of stub roll up to 89mm diameter. Door has key lock and piano-hinge. Battery requirements: 4 Alkaline D Cells (not included).

3974-55 External AC Adapter (6V) available.

Width	386
Height	464
Depth	230
Accessibility Mounting Height	1524-1676



B-29744 Automatic Semi-Recessed Roll Towel Dispenser

Similar to B-2974 with seamless satin-finish stainless steel bevelled flange. Accepts non-proprietary roll paper towels 203mm diameter, 203mm wide, 244m long with 38 to 51mm diameter standard core. Automatic transfer of stub roll up to 89mm diameter. Battery requirements: 4 Alkaline D Cells (not included).

3974-55 External AC Adapter (6V) available.

	Unit	Wall Opening
Width	437	406
Height	514	479
Recess	100	102
Projection	130	N/A
Accessibility Mounting Height	1534	1511



B-72974 Automatic Surface-Mounted Roll Towel Dispenser

Durable plastic construction; translucent navy cover. Locking cabinet. Accepts non-proprietary roll paper towels 203mm diameter, 203mm wide, 244m long with 38 to 51mm diameter standard core. Automatic transfer of stub roll up to 89mm diameter. Battery requirements: 4 Alkaline D Cells (not included).

3974-55 External AC Adapter (6V) available.

Width	310
Height	385
Depth	240
Accessibility Mounting Height	1295



B-2860 ClassicSeries Surface-Mounted Roll Paper Towel Dispenser

Satin-finish stainless steel. Touch-free pull-towel mechanism dispenses 305mm length of non-proprietary roll paper towels. Accommodates 203mm wide, up to 203mm diameter rolls, 244m long. Automatic transfer of stub roll up to 89mm diameter. Pull force to operate: 8.0N. Door has key lock and piano-hinge.

Width	298
Height	381
Depth	229
Accessibility Mounting Height	1525-1675



B-359 ClassicSeries Recessed Paper Towel Dispenser

Satin-finish stainless steel. Seamless, bevelled flange. Dispenses 350 C-fold or 475 multifold towels. Door equipped with full-length stainless steel piano-hinge at bottom; swings down for easy filling.

369-130 Optional TowelMate Paper Towel Dispenser Accessory for dispensing single towel with each pull.

	Unit	Wall Opening
Width	324	286
Height	437	397
Recess	102	102
Projection	5	N/A
Accessibility Mounting Height	1321	1300



B-2621 ClassicSeries Surface-Mounted Paper Towel Dispenser

Satin-finish stainless steel. Dispenses 200 C-fold or 275 multifold towels. Door has knob-latch.

262-130 Optional TowelMate Paper Towel Dispenser Accessory for dispensing single towel with each pull.

Width	273
Height	181
Depth	102
Accessibility Mounting Height	1195



B-277
ConturaSeries
Surface-Mounted Waste Bin
with LinerMate

Satin-finish stainless steel. Top edges are hemmed and bottom of waste bin has recessed finger grip for safe handling. Capacity: 48.3L.

Width	384
Height	584
Depth	216



B-43644
ConturaSeries
Recessed Waste Bin
with LinerMate

Satin-finish stainless steel. Removable front panel for easy cleaning. Capacity: 48.3L.

	Unit	Wall Opening
Width	440	403
Height	705	667
Recess	100	102
Projection	130	N/A



B-527
TrimLineSeries
Recessed Countertop Waste-Disposal Door

Satin-finish stainless steel. Door is self-closing. Flange has 90° return. Mounts in counters 19 to 38mm thick. 115mm minimum clearance below mounting surface is required. Waste bin and housing below counter to conceal bin are not included.

	Unit	Countertop Opening
Width	324	286
Height	152	115
Recess	52	115
Projection	6	N/A



B-532
TrimLineSeries
Circular Waste Chute

Satin-finish stainless steel. Flat flange suitable for counter, recessed, or under-counter installation. Provides access to under-counter waste bin (not included).

B-529 Circular Waste Chute

Bright-polished stainless steel. Rolled flange. Provides access to under-counter waste bin (not included).

	Unit		Countertop Opening	
	B-532	B-529	B-532	B-529
Outer Dia.	173	176	N/A	N/A
Inner Dia.	151	140	156	143
Recess	98	116	N/A	N/A
Projection	0.8	11	N/A	N/A



B-3644
ClassicSeries
Recessed Waste Bin

Satin-finish stainless steel. Seamless, bevelled flange. Removable 45.4L bin locks into cabinet. Hooks hold optional vinyl liner.

3944-134 Optional LinerMate Bin Liner Retainer
Accessory for managing disposable bin liners.

	Unit	Wall Opening
Width	437	406
Height	778	743
Recess	102	102
Projection	105	N/A



B-279
ClassicSeries
Surface-Mounted Waste Bin

Satin-finish stainless steel. Bottom edges hemmed for maximum safety. Hooks hold furnished reusable vinyl liner; removable for servicing. Capacity: 24.2L.

Width	356
Height	457
Depth	152



B-275
ClassicSeries
Surface-Mounted Waste Bin

Satin-finish stainless steel. Bottom edges hemmed for maximum safety. Hooks hold furnished reusable vinyl liner; removable for servicing. Capacity: 75.7L.

Width	419
Height	584
Depth	318



B-2250
ClassicSeries
Floor-Standing Waste Bin with Top

Satin-finish stainless steel. Top with self-closing doors. Vinyl wall bumper, rubber feet. Hooks for liners. Capacity: 49.2L.

Width	318
Height	749
Depth	318



B-2280
ClassicSeries
Floor-Standing Open-Top
Waste Bin

Satin-finish stainless steel. Open top. Vinyl wall bumper, rubber feet. Hooks for liners. Capacity: 79.5L.

B-2260 Similar to B-2280, but with 49.2L capacity.

	B-2280	B-2260
Width	356	318
Height	762	559
Depth	356	318



B-2300
Floor-Standing Dome Top
Waste Bin

Satin-finish stainless steel body with black steel-domed top. Removable top with fingerprint-resistant, textured powder coated finish has 152mm diameter opening for hygienic, no-touch disposal of waste. Galvanised steel liner has grommets lift holes. Capacity: 68.1L.

Diameter	381
Height	787



B-2400
Floor-Standing Large Capacity
Waste Bin

Satin-finish stainless steel. Removable funnel top with 210mm diameter opening for hygienic, no-touch disposal of waste. Four heavy-duty rubber feet. Galvanised steel waste container has handle for easy removal. Capacity: 125L.

Diameter	464
Height	813



No-Touch Washroom Concepts

Hygiene, especially hand hygiene, is a critical topic around the world. With the increased potency and rapid spread of diseases, everyone is looking for ways to avoid contact with surfaces in public areas. Because sensor-driven technology enables interaction without contact, it is being readily adopted into washroom dispensing to facilitate hygiene.

Besides improved hygiene and patron satisfaction, electronic technology also provides cost-saving and environmental benefits. For instance, many of Bobrick's no-touch roll paper towel and soap dispenser models also incorporate portion control. Portion control offers savings on consumable products, as well as reduces waste.

Bobrick supports the utilisation of no-touch technology and continues to add new models to its line.

Benefits of our no-touch washroom products

- Improved hygiene by reducing cross-contamination.
- Environmental benefits by creating new standards in paper and waste reduction.
- The automatic portion control for soap and paper towel dispensers provides cost-in-use savings.
- Less consumption also means less waste.

New SureFlo Automatic Liquid and Foam Soap Dispensers

- The automatic no-touch activation minimises cross-contamination, making hand washing much more sanitary.
- Unique portion control feature balances patron satisfaction and minimises consumption and waste, providing cost savings to the building owner.

New B-2012 Wall-Mounted Automatic Soap Dispenser

- No-touch sensor activation promotes hygiene and convenience.
- Dispenses hand sanitisers and surgical soaps for use in health care facilities.
- Installs easily almost anywhere.

Automatic Non-proprietary Roll Towel Dispensers

- No-touch sensor-driven activation improves washroom hygiene.
- Concealed towel feature decreases the risk of cross-contamination from airborne contaminants, increasing hygiene.
- Automatic dispensing reduces excess consumption thereby helping to protect the environment by reducing waste.
- Automatic transfer from the stub roll saves waste.

Warm Air Hand Dryers

- No-touch sensor-driven activation improves washroom hygiene.
- Automatic shut-off when hands are not within range saves electricity.



Non-proprietary Dispensing Provides Sourcing Freedom in the Market

For building owners, the ability to control consumable costs is paramount and of growing importance in the challenging economic climate. All Bobrick dispensers are designed to be non-proprietary, which means that they accept commonly available consumables, such as soaps, paper towels and toilet tissues.

Unlike most of the dispensers provided by soap and paper companies, our accessories are manufactured using corrosion-resistant type 304 stainless steel. This means Bobrick's solutions are durable and vandal-resistant, and they will maintain their beauty for many years.

Our commitment to non-proprietary systems frees building owners from expensive and restrictive consumables contracts and enables them to source lower cost generic paper goods, soaps and services on the open market without sacrificing the quality of the consumable products.

Liquid and Foam Soap Dispensers (p. 8-11)

Our soap dispensers are designed to use non-proprietary bulk, as opposed to cartridge soaps. Cartridge soaps are not only more expensive to purchase, but they also generate more waste in the form of unused soap and excessive packaging. For example, compare the amount of plastic used in one five-litre bulk bottle versus six 850-ml cartridges.

In addition, with bulk-fill, the reservoir can be refilled at any time so the dispenser is never empty, but soap is not wasted.

Folded Paper Towel Dispensers (p. 12-17)

When equipped with Bobrick's TowelMate, folded paper towel dispensers can accommodate almost any size or quality of paper towel without tearing, sagging or falling out in bunches. Our dispensers and TowelMate are suitable for multi-fold, single-fold and even C-fold towels.

Roll Paper Towel Dispensers (p. 14-15, 17)

Bobrick's Automatic Roll Paper Towel Dispensers are designed to use various qualities of continuous roll paper towels. For increased efficiency, our models also utilise stub rolls with automatic switching to the new roll.

Toilet Tissue Dispensers (p. 27-29)

We have dispensers for everything from single-fold to standard roll to jumbo roll toilet tissue. Most models can be used with various core diameters and roll widths. At Bobrick, we think globally to offer models to accommodate standards from different regions.

Cost Savings Calculator (www.bobrick.com)

Bobrick is so convinced of the value of our dispensing solutions that we provide the tools to calculate return-on-investment and cost savings. Use the Cost Savings Calculators under Product Support at www.bobrick.com.



B-7128

TrimLineSeries Surface-Mounted Hand Dryer

Durable, 1.2mm (18-gauge), type 304 satin-finish stainless steel cover with black plastic trim, automatic sensor, dual air outlets. 10-year limited warranty.

B-7120 Similar to B-7128, but with durable, 0.8mm (22-gauge), zinc-plated steel with white epoxy cover and black plastic trim.

Width	350
Height	345
Depth	100



B-715/B-715E

Elan™ Surface-Mounted Hand Dryer

Contemporary styling, satin-finish type 304 stainless steel cover. Automatic hand sensor. 5-year limited warranty.

Width	295
Height	279
Depth	141



B-740

Eclipse™ Surface-Mounted Hand Dryer

Contemporary styling, durable, drawn-steel white vitreous-enamel cover. Automatic hand sensor. 10-year limited warranty.

B-748 Similar to B-740, but with drawn-steel bright-polished chrome-plated cover.

Width	383
Height	225
Depth	192

New



B-778

Surface-Mounted High Speed Hand Dryer

The first fast-dry hand dryer to be awarded the Noise Abatement Society's Quiet Mark. Greenspec certified. Bright-polished, chrome-plated cast aluminium. Automatic hand sensor. 5-year limited warranty.

B-770 Similar to B-778, but with white high-gloss epoxy finish.

Width	348
Height	260
Depth	185



B-700

Aircraft™ Surface-Mounted Hand Dryer

Cast iron with white vitreous-enamel cover. Automatic hand sensor. 10-year limited warranty.

Width	349
Height	264
Depth	184



B-750

Aircraft™ Recessed Hand Dryer

Cast iron with white vitreous-enamel cover. Automatic hand sensor. 10-year limited warranty.

	Unit	Wall Opening
Width	387	349
Height	302	241
Recess	90	95
Projection	102	N/A



B-710/B-710E

Compac™ Surface-Mounted Hand Dryer

One-piece, grey moulded plastic cover. Automatic hand sensor. 1-year limited warranty.

Width	275
Height	278
Depth	132

Electrical Specifications

B-700 115V AC, 20 Amp, 2300 Watts, 50/60 Hz. All Models cULus Listed.
B-750 208-240V AC, 9-10 Amp, 1900-2400 Watts, 50/60 Hz. All models cULus Listed, VDE approved, CE Marked.

B-710E 220-240V AC, 7 Amp, 1500-1700 Watts, 50/60 Hz. VDE approved, CE marked.
B-715E

B-710 115V AC, 15 Amp, 1725 Watts, 60 Hz. cULus Listed.
B-715

B-740 115V AC, 20 Amp, 2300 Watts, 50/60 Hz. All models cULus Listed.
B-748 208-240V AC, 9-10 Amp, 1900-2400 Watts, 50/60 Hz. All models cULus Listed, VDE approved, CE Marked.

B-7128 115V AC, 15 Amp, 1725 Watts, 50/60 Hz. All Models cULus Listed.
B-7120 208-240V AC, 6.8-7.8 Amp, 1400-1900 Watts, 50/60 Hz. All models cULus Listed, VDE approved and CE Marked.

B-778 115V AC, 12 Amp, 1400 Watts, 50/60 Hz. cULus Listed.
B-770 240V AC, 6 Amp, 1400 Watts, 50/60 Hz. cULus Listed, VDE approved, CE Marked.

How to Order: Specify voltage by adding **115V** or **230V** following model number. Example **B-700 115V**.

Notes: Bobrick automatic hand dryers should be installed 380mm above any projection or horizontal surface which may interfere with the operation of the automatic sensor.

Model B-710 is not designed for vandal-prone locations. For vandal-prone locations, use Bobrick B-700 or B-750 Aircraft Dryers with cast-iron vitreous-enamel cover, B-740 Eclipse Dryer with drawn steel, vitreous-enamel cover or B-7128 TrimLineSeries Dryer with satin-finish stainless steel cover.



KB110-SSRE-INB Koala Kare Horizontal, Recessed Baby Changing Station

Satin-finish stainless steel exterior with grey polyethylene interior. Smooth, concave changing bed with safety straps, liner dispenser, bag hooks and moulded instructions.

KB110-SSWM-INB Similar to KB110-SSRE-INB, but wall-mounted.

	KB110-SSRE-INB	Unit KB110-SSWM-INB	Wall Opening KB110-SSRE-INB
Width	940	892	900
Height	584	508	521
Recess	108	N/A	108
Projection, Closed	6	102	N/A
Projection, Open	381	483	N/A
Recommended Mounting Height	1181	1181	1181



KB111-SSRE-INB Koala Kare Vertical, Semi-Recessed Baby Changing Station

Satin-finish stainless steel exterior with grey polyethylene interior. Smooth, concave changing bed with safety straps, liner dispenser, bag hooks and moulded instructions.

KB111-SSWM-INB Similar to KB111-SSRE-INB, but wall-mounted.

	KB111-SSRE-INB	Unit KB111-SSWM-INB	Wall Opening KB111-SSRE-INB
Width	616	565	562
Height	1003	902	905
Recess	102	N/A	102
Projection, Closed	38	133	N/A
Projection, Open	794	889	N/A
Recommended Mounting Height	1591	1499	N/A

New



KB200-01SS Koala Kare Horizontal, Wall-Mounted Baby Changing Station with Stainless Steel Veneer

Grey polypropylene with heavy-duty 6-point mounting which supports 91kg with virtually no deflection from 90°. Concealed hardware, dual bed liner dispensers and bag hooks. Also in white granite (-05).

KB200-01SS-INB Similar to KB200-01SS, but packaged for EN Compliance.

Width	894
Height	565
Projection, Closed	102
Projection, Open	583
Recommended Mounting Height	589



KB200-00 Koala Kare Horizontal, Wall-Mounted Baby Changing Station

Cream polypropylene with heavy-duty 6-point mounting which supports 91kg with virtually no deflection from 90°. Concealed hardware, dual bed liner dispensers and bag hooks. Also in grey (-01), white granite (-05) and earth (-11).

KB200-00-INB Similar to KB200-00, but packaged for EN Compliance.

Width	894
Height	565
Projection, Closed	102
Projection, Open	583
Recommended Mounting Height	589

New



KB208-01-INB Koala Kare Oval Wall-Mounted Baby Changing Station

Grey polyethylene with steel pivot rod secured in metal tube. 2 bag hooks. Also in Grey Granite (-12) and Sandstone (-14).

KB208-01-INB Similar to KB208-01, but packaged for EN Compliance.

Width	864
Height	533
Projection, Closed	102
Projection, Open	533
Recommended Mounting Height	1073



KB100-00ST-INB Koala Kare Horizontal, Recessed Baby Changing Station with Stainless Steel Flange

Cream polyethylene. Smooth, concave changing bed with safety straps, integral liner dispenser, bag hooks and moulded instructions, including Braille. Also in grey (-01) and white granite (-05).

	Unit	Wall Opening
Width	940	900
Height	584	521
Recess	108	108
Projection, Open	381	N/A
Recommended Mounting Height	1181	N/A



KB101-00-INB Koala Kare Vertical, Wall-Mounted Baby Changing Station

Cream polyethylene. Smooth, concave changing bed with safety straps, integral liner dispenser, bag hooks and moulded instructions, including Braille. Also in grey (-01) and white granite (-05).

Width	559
Height	902
Projection, A	133
Projection, Open	889
Recommended Mounting Height	1499



KB102-00 Koala Kare Wall-Mounted Child Protection Seat

Cream polyethylene. Mounts on wall or partition of toilet compartment. Contoured seat with textured surface. Safety straps extend over child's shoulders and between legs for security.

Width	311
Height	476
Projection, Closed	143
Projection, Open	311
Recommended Mounting Height	Bottom of unit 51mm above bottom of partition panel; or 356mm above floor.



KB150-99 Koala Kare Baby Changing Station Bed Liners

Disposable liners for use with Baby Changing Stations above. Large 343mm W x 457mm H, 3-ply biodegradable. 500 liners per case.



Microban™ antibacterial product protection: a Koala Baby Changing Station exclusive.

Microban technology is built into Koala Baby Changing Stations and becomes an intrinsic part of the Station. When microbes, such as bacteria, mould and mildew that can cause stains, odours and product deterioration come into contact with the station surface, Microban protection penetrates the cell wall of the microbe and disrupts key cell functions so that the microbe cannot function, grow or reproduce. Microban helps Koala Baby Changing Stations stay cleaner between cleanings. Please see Microban Technical Bulletin, TB-12.

Notes:

1. All Baby Changing Stations feature steel-on-steel hinges with 3.2mm steel mounting supports.
2. Complies with EN 12221-1/-2 European Standards (KB200-INB, KB200-SS-INB and KB208-INB only), ANSI S117.1 Accessible and Usable Buildings and Facilities, ASTM F2285-04 Standard Consumer Safety Performance Specification for Diaper Changing Tables for Commercial Use, and ASTM G22 Antibacterial Standards, ADA Accessibility Standards for height (except KB101), reach, projection, operation when correctly installed.
3. All Baby Changing Station models (except KB208) equipped with built-in Sanitary Bed Liner Dispensers. Liners sold separately.



B-4221
ConturaSeries
Surface-Mounted Seat Cover Dispenser

Satin-finish stainless steel. Dispenses 250 single- or half-fold toilet seat covers. Fills from bottom.

Width	400
Height	286
Depth	56
Accessibility Mounting Height	762-1143



B-3013
TrimLineSeries
Recessed Seat Cover Dispenser

Satin-finish stainless steel. Door has 90° return, conceals flange. Dispenses 500 toilet seat covers.

	Unit	Wall Opening
Width	446	403
Height	332	291
Recess	64	70
Accessibility Mounting Height	1270	1219



B-221
ClassicSeries
Surface-Mounted Seat Cover Dispenser

Satin-finish stainless steel. Dispenses 250 single- or half-fold toilet seat covers. Fills from bottom.

Width	400
Height	279
Depth	51
Accessibility Mounting Height	762-1219



B-3574
ClassicSeries
Recessed Seat Cover Dispenser, Sanitary Napkin Disposal, Toilet Tissue Dispenser

Satin-finish stainless steel. Seamless bevelled flange. Mounts in side wall of single compartment. Capacity: 3.0L. Holds 500 toilet seat covers and two rolls of tissue. Theft-resistant spindles.

B-357 Similar to B-3574, but mounts centred through toilet partition. Used from both sides, serviced from one side.

B-3579 Similar to B-3574, but with stainless steel skirt for surface mounting.

	3574	357	Unit 3579	3574	Wall Opening 357
Width	437	437	437	406	394
Height	778	778	778	743	733
Overall Depth	106	110	106	102	N/A
Mounting Thickness	N/A	13-51	N/A	N/A	13-51
Accessibility Mounting Height	1130	1130	1130	1105	1105



B-3474
ClassicSeries
Recessed Seat Cover Dispenser and Toilet Tissue Dispenser

Satin-finish stainless steel. Seamless bevelled flange. Mounts in side wall of single compartment. Holds 500 toilet seat covers and two rolls of tissue. Theft-resistant spindles.

	Unit	Wall Opening
Width	3437	3437
Height	437	406
Depth	778	743
Accessibility Mounting Height	100	102
Accessibility Mounting Height	1130	1105



B-4288

ConturaSeries Surface-Mounted Multi-Roll Toilet Tissue Dispenser

Satin-finish stainless steel unit with stainless steel dispensing mechanism. Flush key lock. Holds two rolls up to 133mm diameter (1800 sheets). Extra roll automatically drops in place when bottom roll is depleted. Theft-resistant, heavy-duty spindles.

Width	154
Height	279
Depth	151
Accessibility Mounting Height	710



B-4388

ConturaSeries Recessed Multi-Roll Toilet Tissue Dispenser

Satin-finish stainless steel unit with stainless steel dispensing mechanism. Flush key lock. Holds two rolls up to 133mm diameter (1800 sheets). Extra roll automatically drops in place when bottom roll is depleted. Theft-resistant, heavy-duty spindles.

	Unit	Wall Opening
Width	192	159
Height	318	286
Recess	81	83
Projection	70	N/A
Accessibility Mounting Height	730	710



B-2888

ClassicSeries Surface-Mounted Multi-Roll Toilet Tissue Dispenser

Satin-finish stainless steel unit with stainless steel dispensing mechanism. Door has flat face with protruding key lock. Holds two rolls up to 133mm diameter (1800 sheets). Extra roll automatically drops in place when bottom roll is depleted. Theft-resistant, heavy-duty spindles.

Width	154
Height	279
Depth	151
Accessibility Mounting Height	710



B-3888

ClassicSeries Recessed Multi-Roll Toilet Tissue Dispenser

Satin-finish stainless steel unit with stainless steel dispensing mechanism. Door has flat face with protruding key lock. Holds two rolls up to 133mm diameter (1800 sheets). Extra roll automatically drops in place when bottom roll is depleted. Theft-resistant, heavy-duty spindles.

	Unit	Wall Opening
Width	192	159
Height	318	286
Depth	81	83
Recess	70	N/A
Accessibility Mounting Height	730	710



B-272

ClassicSeries Surface-Mounted Toilet Tissue Cabinet

Satin-finish stainless steel. Equipped with key lock; vandal-resistant. Dispenses either single or doublefold toilet tissue. Large capacity: 1330 singlefold tissues up to 152mm long. Slots in cabinet indicate refill time.

B-2721 Similar to B-272, with larger cabinet for single-fold tissue lengths 190mm or greater (fold-depth 95mm+).

	B-272	B-2721
Width	127	129
Height	227	230
Depth	76	109



B-273

ClassicSeries Surface-Mounted Toilet Tissue Dispenser

Heavy-duty cast aluminium, satin finish. High-impact plastic spindles have concealed locking device. Holds one roll up to 152mm diameter (2000 sheets). Controlled delivery.

B-2730 Similar to B-273, without controlled delivery.

B-274 Similar to B-273, holds two rolls. Controlled delivery.

B-2740 Similar to B-274, without controlled delivery.

	B-273	B-274
Width	165	318
Height	38	38
Depth	125	125



B-386

ClassicSeries

Partition-Mounted Multi-Roll Toilet Tissue Dispenser (Serves Two Toilet Compartments)

Satin-finish stainless steel. Mounts centred through toilet partitions; accessible from both sides. Holds four standard core toilet tissue rolls up to 130mm diameter; two for each side. Chrome-plated plastic spindles with heavy-duty internal springs.

	Unit	Partition Opening
Width	324	292
Height	306	276
Partition Thickness	13-51	N/A
Projection	19-44	N/A
Accessibility Mounting Height	718	699



B-6699

Surface-Mounted Toilet Tissue Dispenser with Hood

Bright-polished stainless steel. Hood protects paper. Chrome-plated plastic spindle holds rolls up to 130mm diameter (1500 sheets).

Width	157
Height	157
Depth	121

B-66997 Similar to B-6699, but with satin finish.



B-6999

Surface-Mounted Toilet Tissue Dispenser with Hood for Two Rolls

Bright-polished stainless steel. Hoods protect paper. Chrome-plated plastic spindles hold rolls up to 130mm diameter (1500 sheets).

Width	314
Height	157
Depth	121

B-69997 Similar to B-6999, but with satin finish.



B-699

Recessed Toilet Tissue Dispenser with Hood for Two Rolls

Bright-polished stainless steel. Hoods protect paper. Chrome-plated plastic spindles hold rolls up to 130mm diameter (1500 sheets).

	Unit	Wall Opening
Width	313	298
Height	157	133
Recess	48	86
Projection	70	N/A

B-6997 Similar to B-699, but with satin finish.



B-685

Surface-Mounted Toilet Tissue Dispenser for Single Roll

Bright-polished stainless steel. Support arm flanges lock to concealed stainless steel wall plate. Chrome-plated plastic spindle holds rolls up to 140mm diameter (1800 sheets).

Width	184
Height	51
Depth	100

B-6857 Similar to B-685, but with satin finish.

B-7685 Similar to B-685.

B-76857 Similar to B-7685, but with satin finish.



B-686

Surface-Mounted Toilet Tissue Dispenser for Two Rolls

Bright-polished stainless steel. Support arm flanges lock to concealed stainless steel wall plate. Chrome-plated plastic spindles hold rolls up to 140mm diameter (1800 sheets).

Width	318
Height	51
Depth	100

B-6867 Similar to B-686, but with satin finish.

B-7686 Similar to B-686.

B-76867 Similar to B-7686, but with satin finish.



B-541
Cubicle Collection
Spare Toilet Roll Holder

Satin-finish stainless steel. Threaded flange conceals mounting plate, provides snug fit to the wall. Vertical post accommodates one roll up to 127mm diameter and a core size from 19mm to 38mm. See pages 29, 34, 35 and 36 for other Cubicle Collection models.

Flange Width	50
Height	202
Depth	88



B-543
Cubicle Collection
Surface-Mounted Toilet Tissue
Dispenser for Single Roll

Satin-finish stainless steel. Threaded flange conceals mounting plate, provides snug fit to the wall. Accepts standard-core size from 19mm - 38mm and 102mm wide. See pages 29, 34, 35 and 36 for other Cubicle Collection models.

Width	140
Height	115
Depth	33



B-27313
ClassicSeries
Surface-Mounted Three Roll
Toilet Tissue Dispenser

Satin-finish stainless steel. Holds three toilet tissue rolls up to 114mm diameter. Extra rolls drop into place when bottom roll is finished.

Width	117
Height	378
Depth	127
Accessibility Mounting Height	710

Improved



B-2890
Surface-Mounted Single
Jumbo Roll Toilet Tissue Dispenser

Satin-finish type 304 stainless steel. Equipped with key lock. Spindle holds one 254mm diameter roll with 76mm diameter core. Convertible for 55mm and 41mm diameter core rolls. Powder-coated mounting plate. Slot in door reveals tissue supply.

Diameter	270
Depth	114



B-2892
Surface-Mounted Twin
Jumbo Roll Toilet Tissue Dispenser

Satin-finish stainless steel. Equipped with key lock. Spindles hold two 254mm diameter rolls with 57mm diameter core rolls; convertible for 76mm diameter core rolls. Sliding access panel exposes one roll at a time, allows easy roll change-over. Wide viewing slot in door. Quick reloading.

Width	529
Height	289
Depth	135



- Clearance between wall and grab bar is 38mm.
- Constructed of satin-finish stainless steel tubing in 32mm and 38mm diameters; concealed or exposed mounting.
- Peened non-slip gripping surface available on all Series. Add suffix .99 to model number.
- Bar 1.2mm (18-gauge), type 304 stainless steel.
- Bar passes through flange and is heliarc welded to form single structural unit.
- Comply with structural strength requirements: grab bars that provide 38mm clearance from the wall can support loads in excess of 408kg when properly installed.
- Mandrel bending process ensures uniform bar diameter around curves.
- All joints and supports are contour-cut and welded.
- Concealed anchors and fasteners available as an optional accessory.



Concealed Mounting

- Cover snaps over mounting flange to conceal screws.
- Concealed mounting flange 3mm thick, type 304 stainless steel plate, 51mm wide x 79mm high, with screw holes for concealed anchors.
- Cover is 0.8mm (22-gauge), type 304 stainless steel with satin finish, 83mm diameter.

Series	Diameter	*Finish
*B-6806	38	Satin Finish
*B-5806	32	Satin Finish

*Peened non-slip gripping surface available. Add suffix .99 to model number.



B-6806

Straight Grab Bar

Satin-finish stainless steel grab bar for bath/shower/toilet compartment. Snap flange.

B-6806.99 Similar to B-6806, but with peened non-slip grip.

	B-6806	B-6806.99
Bar Diameter	38	38
Length	305	N/A
	457	457
	610	610
	762	762
	914	914
	1067	1067
	1219	1219



B-6861

Two-Wall Horizontal Grab Bar

Satin-finish stainless steel grab bar for 914 x 914mm shower compartments. Snap flange.

B-6861.99 Similar to B-6861, but with peened non-slip grip.

Bar Diameter	38
Width	403
Length	784



B-68616

Two-Wall Horizontal Grab Bar

Satin-finish stainless steel grab bar for bath/shower/toilet compartment. Snap flange.

B-68616.99 Similar to B-68616, but with peened non-slip grip.

Bar Diameter	38
Width	610
Length	914



B-68137

Two-Wall Horizontal Grab Bar

Satin-finish stainless steel grab bar for bath/shower/toilet compartment. Snap flange.

B-68137.99 Similar to B-68137, but with peened non-slip grip.

Bar Diameter	38
Width	914
Length	1372



B-5806 Straight Grab Bar

Satin-finish stainless steel grab bar for bath/shower/toilet compartment. Snap flange.

B-5806.99 Similar to B-5806, but with peened non-slip grip.

Bar Diameter	32
Length	457
	610
	762
	914
	1067
	1219



B-58616 Two-Wall Horizontal Grab Bar

Satin-finish stainless steel grab bar for bath/shower/toilet compartment. Snap flange.

B-58616.99 Similar to B-58616, but with peened non-slip grip.

Bar Diameter	32
Width	610
Length	914



B-4998 Wall-Mounted Swing-Up Grab Bar

Satin-finish stainless steel grab bar for tub/shower/toilet compartment. Exposed mounting.

B-4998.99 Similar to B-4998, but with peened non-slip grip.

Bar Diameter	32
Length	737



B-5181 Surface-Mounted Reversible Folding Shower Seat

Seat is constructed of durable, water-resistant, ivory-coloured, 13mm thick compact grade laminate. Reversible for left- or right-hand field installation. Frame and mounting brackets are type 304 stainless steel with self-locking mechanism. Supports up to 163kg when correctly installed and used. Left-handed seat shown.

Width	838
Projection, Closed	140
Projection, Open	567
Typical Mounting Height	430-485



B-5191 Surface-Mounted Folding Shower Seat

Compact design. Seat is constructed of durable, water-resistant, ivory-coloured, 8mm thick compact grade laminate. Frame and mounting bracket are type 304 stainless steel and feature self-locking mechanism. Supports up to 227kg when correctly installed and used.

Width	457
Projection, Closed	140
Projection, Open	402
Typical Mounting Height	430-485



B-290 Series

Welded-Frame Mirrors

- One-piece, roll-formed 19 x 19mm angle-frame • Type 304 stainless steel angle with satin finish • Corners heliarc welded, ground and polished smooth • Bevelled frame edge at mirror for improved appearance • No. 1 quality, 6mm glass mirror; warranted against silver spoilage for 15 years • Galvanised steel back • Secured to concealed wall hanger with theft-resistant mounting

Model No.	W	H	Model No.	W	H
B-290 1830	46cm	76cm	B-290 2448	61cm	122cm
B-290 1836	46cm	91cm	B-290 2460	61cm	152cm
B-290 2430	61cm	76cm	B-290 2472	61cm	183cm
B-290 2436	61cm	91cm			

B-292 Series

Welded-Frame Mirror/Shelf Combination

- Same mirror as B-290 Series • Type 304 satin-finish stainless steel shelf
- Shelf projects 127mm, with 19mm return on front and sides; front return edge hemmed for rigidity and safety • Shelf corners heliarc welded, ground and polished smooth

Model No.	W	H	Model No.	W	H
B-292 1830	46cm	76cm	B-292 2436	61cm	91cm
B-292 1836	46cm	91cm			

Special-Order Custom Size B-290 and B-292 Series Mirrors

B-290 Maximum size of one piece of mirror: 366 x 183cm. Maximum frame size available: 457 x 183cm with two pieces of glass.

B-292 Maximum frame size available: 244 x 183cm with one piece of glass. Maximum size of shelf: 244cm furnished as one piece.

To specify special sizes, use Series No. followed by width and height in inches.



B-165 Series

Channel-Frame Mirrors

- One-piece, 13 x 13 x 13mm channel-frame • Type 430 stainless steel with bright polished finish • Mitred corners • Frame screw permits easy replacement of glass • No. 1 quality, 6mm glass mirror warranted against silver spoilage for 15 years • Galvanised steel back • Secured to concealed wall hanger with theft-resistant mounting

Model No.	W	H	Model No.	W	H
B-165 1824	46cm	61cm	B-165 2448	61cm	122cm
B-165 1830	46cm	76cm	B-165 2460	61cm	152cm
B-165 1836	46cm	91cm	B-165 4836	122cm	91cm
B-165 2430	61cm	76cm			
B-165 2436	61cm	91cm			

Special-Order Custom Size B-165 Series Mirrors

Maximum size mirror: 183 x 152cm. To specify special sizes, use Series Number followed by width and height in inches.

B-166 Series

Channel-Frame Mirror/Shelf Combination

- Same mirror as B-165 Series • Type 304 satin-finish stainless steel shelf
- Shelf projects 127mm with 10mm return on front and sides; front return edge hemmed for rigidity and safety

Model No.	W	H	Model No.	W	H
B-166 1824	46cm	61cm	B-166 1836	46cm	91cm
B-166 1830	46cm	76cm	B-166 2436	61cm	91cm

Special-Order Custom Size B-166 Series Mirrors

Maximum size mirror: 61 x 152cm. Maximum shelf length: 61cm. To specify special sizes, use Series Number followed by width and height in inches.





B-2908 Series

Standard Size Tempered Glass Mirrors

Tempered glass mirrors are engineered for heavy-traffic, vandal-prone bathrooms in stadiums, outdoor recreation centres and low-supervision facilities such as parks and public toilets.

Tempered glass mirrors resist breakage and provide a measure of safety from broken glass, but differ in colour and reflective quality from standard glass mirrors. Bobrick uses the highest quality tempered glass mirrors. Modest distortion or heat-generated markings are normal in the tempered glass mirror manufacturing process. Therefore, Bobrick will not accept returns of tempered glass mirrors with random distortion or markings.

B-2908 Series

Standard Size Tempered Glass Welded-Frame Mirrors

- Same frame as B-290 Series • 6mm tempered glass mirror

Model No.	W	H
B-2908 1830	46cm	76cm
B-2908 1836	46cm	91cm
B-2908 2436	61cm	91cm

B-1658 Series

Standard Size Tempered Glass Channel-Frame Mirrors

- Same frame as B-165 Series • 6mm tempered glass mirror

Model No.	W	H
B-1658 1830	46cm	76cm
B-1658 2436	61cm	91cm



B-1658 Series



B-293



B-294

B-293 Series

Fixed-Position Tilt Mirrors

Provide visibility for wheelchair patients. Frame is type 304 stainless steel, satin finish. Bevelled edges of frame hug mirror; provides gapless fit for improved appearance, and safety when cleaning mirror. No. 1 quality, 6mm glass mirror electrolytically copper-plated. Mirror extends 102mm from wall at top and tapers to 25mm at bottom.

Model No.	W	H	Model No.	W	H
B-293 1630	41cm	76cm	B-293 1836	46cm	91cm
B-293 1830	46cm	76cm	B-293 2436	61cm	91cm

Special-Order Custom Size B-293 Series Mirrors

Maximum size mirror: 91 x 122cm.

B-294 Series

Angle-Frame Two Position Tilt Mirror

Tilt forward to provide full visibility for wheelchair patients or return to upright position. Frame is 19 x 19mm, type 304 stainless steel angle, satin finish. Bevelled edges of frame hug mirror; provides gapless fit for improved appearance, and safety when cleaning mirror. No. 1 quality, 6mm glass mirror electrolytically copper-plated. Top of mirror tilts 178mm from wall with self-locking mechanisms; bottom of mirror mounts to wall with full-length stainless steel hinge.

Model No.	W	H
B-294 1630	41cm	76cm

Special-Order Custom Size B-294 Series Mirrors

Maximum size mirror: 61 x 91cm.

Special-Order Reflective Surfaces

Polished Stainless Steel, Tempered and Laminated Glass Mirrors resist breakage and provide a measure of safety from broken glass, but differ in colour and reflective quality from standard glass mirrors. Modest distortion is normal and not a returnable condition. Available on special order.

Polished Stainless Steel

B-1656 Series Mirrors (up to 183 x 61cm)

B-2906 Series Mirrors (up to 183 x 61cm)

Tempered Glass

B-1658 Series Mirrors (up to 183 x 122cm)

B-2908 Series Mirrors (up to 305 x 122cm)

Laminated Glass

B-1659 Series Mirrors (up to 183 x 122cm)

B-2909 Series Mirrors (up to 245 x 122cm)

Notes:

1. To specify mirrors, use Series Number desired followed by width, then height in inches.
2. Framed mirrors are manufactured to overall dimensions, as shown in all mirror tables on pages 28 and 29.
3. Overall height of mirror/shelf models includes shelf.
4. Framed mirrors must be installed with width and height dimensions as ordered.
5. Mirror back and wall hanger cannot be installed sideways to reverse width and height dimensions.
6. Provide minimum 19mm clearance at top of mirror for mounting on wall hanger and 25mm clearance on each side.



B-297 Surface-Mounted Medicine Cabinet

All-steel cabinet and two fixed shelves with baked white enamel finish. Mirror: No. 1 quality, 3mm glass electrolytically copper-plated. Door has enamelled steel piano-hinge and magnetic catch.

B-397 Recessed Medicine Cabinet Similar to B-297 for recessed installation. Three adjustable plastic shelves.

	Unit		Wall Opening
	B-297	B-397	B-397
Width	359	403	356
Height	514	657	600
Depth	95	83	89
Projection	N/A	25	N/A
Accessibility Mounting Height	1525	1665	1640



B-299 Surface-Mounted Medicine Cabinet

Type 304 stainless steel, satin finish. Mirror: No. 1 Quality, 6mm glass electrolytically copper-plated. 15-year guarantee against silver spoilage. Door has full-length stainless steel piano-hinge, magnetic catch and cable doorstop. Four adjustable stainless steel shelves. Cabinet may be inverted for right- or left-hand door swing.

B-398 Recessed Medicine Cabinet Similar to B-299 for recessed installation.

	Unit		Wall Opening
	B-299	B-398	B-398
Width	432	432	387
Height	683	683	648
Depth	127	87	92
Projection	N/A	45	N/A
Accessibility Mounting Height	1690	1690	1675



B-8397 Surface-Mounted Facial Tissue Dispenser

Cabinet type 304 stainless steel, satin finish. Equipped with concealed locking device; opens with key provided. Concealed wall plate is 0.8mm (22-gauge), type 304 stainless steel. 260mm wide, 132mm high; projects 57mm from wall. Dispenses one pack of 100 two-ply facial tissues. Tissues not supplied.



B-542 Cubicle Collection Coat Hook

Satin-finish stainless steel. Threaded flange conceals mounting plate, provides snug fit to the wall. Flange has 50mm diameter. Projects 33mm from wall. See pages 29, 35 and 36 for other Cubicle Collection models.



B-672 Surface-Mounted Double Coat Hook

Bright-polished stainless steel. Contoured 102mm wide bar forms hook at each end. Flange is 51 x 51mm. Projects 59mm from wall.

B-6727 Similar to B-672, but with satin finish.

B-7672 Similar to B-672. Projects 49mm from wall.

B-76727 Similar to B-7672, but with satin finish.



B-682 Surface-Mounted Hat and Coat Hook

Bright-polished stainless steel. Flange is 51 x 51mm. Hook 25mm wide, 165mm high; projects 80mm from wall.

B-6827 Similar to B-682, but with satin finish.



B-677

Surface-Mounted Towel Pin

Bright-polished stainless steel. Flange is 51 x 51mm. Projects 86mm from wall.

B-6777 Similar to B-677, but with satin finish.



B-211

Surface-Mounted Heavy-Duty Clothes Hook with Exposed Mounting

One-piece brass casting with satin nickel-plated finish. Three exposed countersunk mounting screw holes. 70mm diameter, projects 87mm. Withstands 136kg downward pull.

B-2116 Similar to B-211, but with three concealed mounting screw holes. Locks to wall plate with three stainless steel setscrews for theft-resistant mounting.



B-212

Surface-Mounted Clothes Hook and Bumper

Solid aluminium casting, matte finish. Rubber bumper protects wall or partition surfaces. 38mm wide, 51mm high; projects 95mm from wall.



B-233

Surface-Mounted Clothes Hook

3.2mm (11-gauge), type 304 stainless steel, satin finish. 32mm wide, 57mm high; projects 29mm from wall.



B-670

Surface-Mounted Utility Hook

Bright-polished stainless steel. For bath robe, shoe-shine cloth and sanitary towel disposal bag. Flange is 51 x 51mm. Hook 13mm wide, projects 51mm from wall.

B-6707 Similar to B-670, but with satin finish.



B-671

Surface-Mounted Single Robe Hook

Bright-polished stainless steel. Flange is 51 x 51mm. Projects 51mm from wall.

B-6717 Similar to B-671, but with satin finish.

B-7671 Similar to B-671. Projects 41mm from wall.

B-76717 Similar to B-7671, but with satin finish.



B-287

Surface-Mounted Folding Utility Shelf

Type 304 stainless steel, satin finish. Easily installed on toilet partition or wall. Pull-down shelf returns to upright position when not in use. Supports 45kg when correctly installed. 146mm wide, 368mm long.



B-544

Cubicle Collection Toilet Brush Holder

Heavy-duty type 304 stainless steel, satin finish. Vandal-resistant wall-mounting bracket. Stainless steel handle with nylon brush head. Water reservoir included. Overall height 403mm; projects 103mm from wall. See pages 29, 34 and 36 for other Cubicle Collection models.

New



B-545
Cubicle Collection-Coordinated
Surface-Mounted Towel Bar

Satin-finish stainless steel. Threaded flanges conceal mounting plates, provide snug fit to the wall. Flanges have 50mm diameter, projects 33mm from wall. Available in 457mm and 610mm lengths. See pages 29, 34 and 35 for Cubicle Collection models.



B-674
Surface-Mounted Towel Bar

Bright-polished stainless steel. Round 19mm diameter towel bar. Available in 457mm and 610mm lengths. Projects 83mm from wall.

B-6747 Similar to B-674, but with satin finish. 610mm length.



B-676
Surface-Mounted Towel Shelf with Towel Bar

Shelf 159mm wide, consists of four 8mm square tubes firmly mounted in support arms. 8mm square towel bar below shelf. 610mm length. Projects 216mm from wall.



B-683
Surface-Mounted Toiletry Shelf

Bright-polished stainless steel. 610mm length. Shelf 121mm wide, projects 146mm from wall. Edges are roll-formed for safety.



B-673
Surface-Mounted Towel Bar

Bright-polished stainless steel. 19mm square towel bar. Available in 457mm and 610mm lengths. Projects 83mm from wall.

B-6737 Similar to B-673, but with satin finish. 610mm length.



B-687
Surface-Mounted Door Bumper

Bright-polished stainless steel. Flange is 51 x 51mm. Black nylon post with black neoprene bumper. Projects 54mm from wall.



B-4390
Recessed Heavy-Duty
Soap Dish and Bar

Matte-finish stainless steel. Mounting clamp for stud walls.

B-4380 Similar to B-4390, but without bar.

	Unit	Wall Opening
Width	183	152
Height	127	102
Recess	67	102
Projection	37	N/A



B-680
Surface-Mounted Soap Dish

Bright-polished stainless steel. Drawn, one-piece soap dish welded to support arm and flange. Two ridges to support bar of soap and two drain holes. Unit 114mm wide, 51mm high; projects 86mm from wall.

B-6807 Similar to B-680, but with satin finish.



B-6047
ClassicSeries
Surface-Mounted Extra-Heavy-Duty Shower Curtain Rod

Satin-finish stainless steel rod and flanges. 1.2mm (18-gauge), 32mm diameter rod. Flanges are 64mm square. Available in 914mm, 1219mm, 1524mm, 1829mm lengths.



B-6107
ClassicSeries
Surface-Mounted Heavy-Duty Shower Curtain Rod

Satin-finish stainless steel rod and flanges. 1.0mm (20-gauge), 25mm diameter rod. Flanges are 64mm square. Available in 914mm, 1219mm, 1524mm, 1829mm lengths.



B-207
ClassicSeries
Surface-Mounted Shower Curtain Rod
with Concealed Mounting

Satin-finish stainless steel, 1.0mm (20-gauge), 25mm diameter rod. Flanges are 35mm diameter, chrome-plated plastic, bright-polished finish; mount on concealed wall brackets. Available in 914mm, 1219mm, 1524mm, 1829mm lengths.



204-2
Vinyl Shower Curtain

Opaque, matte white vinyl, 0.2mm thick, contains antibacterial and flame-retardant agents. Nickel-plated brass grommets along top. Bottom and sides are hemmed. Curtain 1067mm wide, 1829mm high. Requires 7 hooks, not included.

204-3 Similar to 204-2, but curtain is 1778mm wide, 1829mm high. Requires 12 hooks.

204-1 Shower Curtain Hook Type 304 stainless steel for use on 25mm and 32mm diameter shower curtain rods.



B-3541

Surface-Mounted Sanitary Disposal Bag Dispenser

Satin-finish stainless steel. Equipped with concealed locking device. Concealed wall plate 0.8mm (22-gauge) type 304 stainless steel. Holds one pack of 25 two-ply plastic bags.

Width	120
Height	205
Depth Wall to Pushbutton	90
Barrier-Free Mounting Height	1290



B-270

ConturaSeries Surface-Mounted Sanitary Towel Disposal

Satin-finish stainless steel. Cover is drawn, one-piece construction; secured to cabinet with full length stainless steel piano-hinge. 3.8L.

Width	205
Height	120
Depth Wall to Pushbutton	90
Barrier-Free Mounting Height	1205



B-4354

ConturaSeries Partition-Mounted Sanitary Towel Disposal

Satin-finish stainless steel. Mounts centred through toilet partitions. Self-closing doors pull down on both sides for access to disposal. Removable, leak-proof, 2.7L plastic bin.

Width	150
Height	175
Depth Wall to Pushbutton	80
Barrier-Free Mounting Height	1270



B-4353

ConturaSeries Recessed Sanitary Towel Disposal

Satin-finish stainless steel. Self-closing door pulls down for access to disposal. Furnished with removable, leak-proof, 4.5L plastic bin.

Width	102
Height	195
Depth	105
Wall to Pushbutton	70
Barrier-Free Mounting Height	1285



B-35303

TrimLineSeries Recessed Sanitary Towel Disposal

Satin-finish stainless steel. Door has 90° return, conceals flange. Self-closing panel covers disposal opening. Removable, leak-proof, 4.5L plastic bin.

	Unit	Wall Opening
Width	330	292
Height	481	438
Recess	92	95
Projection	14	N/A



B-254

ClassicSeries Surface-Mounted Sanitary Towel Disposal

Satin-finish stainless steel. Door has key lock. Self-closing panel covers disposal opening. Removable, leak-proof, 4.5L plastic bin.

Width	271
Height	384
Depth	103



B-353
ClassicSeries
Recessed Sanitary Towel Disposal

Satin-finish stainless steel. Seamless, bevelled flange. Door has key lock. Self-closing panel covers disposal opening. Removable, leak-proof, 4.5L plastic bin.

	Unit	Wall Opening
Width	324	279
Height	437	397
Recess	100	102
Projection	3	N/A



B-354
ClassicSeries
Partition-Mounted Sanitary Towel Disposal

Satin-finish stainless steel. Mounts centred through toilet partitions. Self-closing panels cover openings on both sides. Removable, leak-proof, 4.6L plastic bin.

	Unit	Partition Opening
Width	324	279
Height	437	394
Partition Thickness	13-32	N/A
Projection	71-90	N/A

Product Warranties

The following Bobrick products are warranted to be free from defects in workmanship and material under normal usage from the date of purchase for the periods set forth below. (Rust and discolouration to stainless steel parts resulting from exposure to harsh environmental and/or chemical conditions are not considered to be defects in workmanship or material and there is no express or implied warranty for such conditions. Refer to Bobrick Advisory Bulletin TB-21, Effective Ways to Clean Stainless Steel.)

Washroom Accessories/Soap Dispensers	Limited Warranty
ConturaSeries Washroom Accessories	3 years
Soap Dispensers B-306, B-4063, B-4112, B-822 Series	3 years

The following Bobrick mirrors are warranted against silver spoilage from the date of purchase for the periods set forth below:

Mirrors	Limited Warranty
B-290, B-2908, B-292 Series	15 years
B-165, B-1658, B-166 Series	15 years

The following Bobrick hand dryers are warranted to be free from defects in workmanship and material under normal usage from the date of purchase for the periods set forth below:

Hand Dryers	Limited Warranty
AirCraft Dryers B-700, B-750.	Motor brushes for 3 years; all other parts for 10 years.
Eclipse Dryers B-740, B-748	
TrimLineSeries Dryers B-7120, B-7128	
B-770, B-778	5 years
Elan B-715, B-715E	5 years
Compac B-710, B-710E	1 year

The following Koala Kare products are warranted to be free from defects in workmanship and material under normal usage, and a replacement policy against vandalism from the date of purchase for the periods set forth below:

Koala Kare Products	Limited Warranty
Baby Changing Stations KB100-ST-INB, KB101-INB, KB110-SSRE-INB, KB110-SSWM-INB, KB111-SSWM-INB, KB111-SSRE-INB, KB200, KB200-INB	5 years
Child Protection Seat KB102-INB	5 years

Other Products

Bobrick washroom accessories not listed in this section are warranted to be free from defects in workmanship and material under normal usage service for one year from the date of purchase. (Rust and discolouration to stainless steel parts resulting from exposure to harsh environmental and/or chemical conditions are not considered to be defects in workmanship or material and there is no express or implied warranty provided for such condition. Refer to Bobrick Advisory Bulletin TB-21, Effective Ways to Clean Stainless Steel.)

Limitations on Warranties

In all instances, the purchaser's exclusive remedy is for the repair or replacement, at Bobrick's option, of warranted defective products or parts. Bobrick will also bear the cost of the purchaser's return of defective products or parts to Bobrick. Bobrick's warranties set forth above do not cover damage resulting from vandalism. No other remedy (including, but not limited to, damages for field labour charges, lost profits, lost sales, injury to persons or property or any other incidental or consequential losses) is available.

Patents

Bobrick products are protected under one or more of the following Patent Numbers: **Australia:** 327567, 327566, 327565, 325470, 308253, 2006332671; **China:** ZL200930004164.1; **Europe:** 001158034-0003, 001158034-0002, 001158034-0001, 1114367-0002, 1114367-0001, 494430-001; **France:** 926706, 916396, 460661/2/3, 322840-45; **Germany:** M9207892.3, 9203130.7; **Hong Kong:** 9700489, 9700488.9, 9700487.7, 9700486.5; **Italy:** 67001, 66879, 66877, 64502; 64352, 64351; **Singapore:** DU2003/563, DU2003/562/I, DU2003/11/B, DU2003/10/F; **Spain:** 130441/0, **Switzerland:** 119685; **Taiwan:** D136662; **United Kingdom:** 2447382, 2026406, 2026405, 2026390, 2022641, 2022640. Other patents pending.

Trademarks

- Bobrick trademark is registered with the United States Patent and Trademark Office and as a trademark in several countries throughout the world.
- Koala Kare trademark is registered with the United States Patent and Trademark Office and as a trademark in several countries throughout the world.
- MICROBAN trademark is registered with the United States Patent and Trademark Office and as a trademark in numerous countries throughout the world.
- Remaining Bobrick trademarks are registered with the United States and Canadian patent and trademark offices and in some other countries throughout the world.





Photo Licences:

Guggenheim Museum photo used under the Creative Commons CC0 1.0 Universal Public Domain Dedication license. ION Orchard and Albany Entertainment Centre photos used under GNU Free Documentation License, Version 1.2. Maracanã Stadium photo used courtesy of Pedro Lopez at Wikimedia.org; used under Creative Commons Attribution 2.0 Generic license. Mumbai Airport photo used courtesy of Alex Graves at Wikimedia.org; used under Creative Commons Attribution-Share Alike 2.0 Generic license.

Illustrations and descriptions herein are applicable to production as of the date of this catalogue. The manufacturer reserves the right to, and does from time to time, make changes and improvements in designs and dimensions. Catalogue No. IWAE13, 24M. June 2013. © 2013 Bobrick Washroom Equipment, Inc. Printed in USA.

Note: Prior to purchasing non-proprietary dispensers, Bobrick recommends that customers contact their local Bobrick distributor to confirm that compatible consumable products are available.

Bobrick International

				
Europe	+44 (0)20 8366 1771	+44 (0) 20 8363 5794	euoffice@bobrick.com	www.bobrick.com
UK	+44 (0)20 8366 1771	+44 (0) 20 8363 5794	info@bobrick.co.uk	www.bobrick.co.uk
Germany	0800.79.00.456	0800.79.00.789	info@bobrick.de	www.bobrick.de
Spain	900 974 901	900 938 309	info@bobrick.com.es	www.bobrick.com.es
Latin America	+1.954.755.8934	+1.818.475.1808	info@bobrick.la	www.bobrick.la
Middle East	+971 (50) 1747386	+971 (50) 1747386	infomea@bobrick.com	www.bobrick.com
Australia	1800.353158	1800.221926	info@bobrick.com.au	www.bobrick.com.au
Asia	+971 (50) 1747386	+818.503.9941	infomea@bobrick.com	www.bobrick.com
Global HQ	+1.818.764.1000	+1.818.503.9941	international@bobrick.com	www.bobrick.com