

Door Furniture

Spring Lever Handles can all be supplied Lock or Latch.
(No. 2565 is supplied as picture for lock purposes)

2561



Latch Plate 4 1/2" x 1 1/2" 114 x 38mm
Lock Plate 5 1/2" x 1 1/2" 140 x 38mm

2564



Latch Plate 4 1/2" x 2 1/2" 114 x 64mm
Lock Plate 5 1/2" x 2 1/2" 140 x 64mm

2565



Plate 4" x 2 3/4" 102 x 70mm

2456




Plate 6" x 1 1/2" 152 x 38mm

2519



Plate 5" x 2" 127 x 50mm

Door Knocker

1005



8" x 2 3/4" 203 x 70mm


Letterplate

1911



Outside Measure	Inside Measure
10 1/2" x 4 1/2"	8" x 1 5/8"
267 x 108mm	203 x 41mm

3679



9" x 4 1/4"	228mm x 108mm
10 1/2" x 4 1/4"	266mm x 108mm
12" x 4 1/4"	304mm x 108mm
15" x 4 1/4"	381mm x 108mm
18" x 4 1/4"	457mm x 108mm



Kirkpatrick Ltd.

Established 1855 Incorporated 1901

P.O. Box No.17, Frederick Street, Town Wharf Business Park, Walsall WS2 9NF

Telephone: 01922 620026 Facsimile: 01922 722525

Website: www.kirkpatrick.co.uk Email: enquiries@kirkpatrick.co.uk

Registered in England No. 71325

ANTIQUE IRONWORK 2004 EDITION

We have for the past 149 years supplied our customer's needs and have endeavoured to manufacture virtually anything that was feasible for us to reproduce. Obviously over the years our range and choice grew with our customer base. This has led us to a position where we offered a range that was too wide for us to adequately cope with, to prevent this situation worsening we have now decided to reduce our catalogue to mirror present day demands. We apologise for having to do this but our reasons are many, primarily because all our products are made and assembled by hand they are very labour intensive and we are finding it harder in this new high tech world to attract the right labour with the skills we require. This obviously prolongs deliveries. So to improve on these deliveries we are cutting our range slightly hoping to improve on our service. We have studiously looked at our past sales patterns before making these cuts and feel that by slightly reducing the numerous choices and sizes of similar lines we will still be offering the best and widest range of whiteheart malleable builders' ironmongery.

We state whiteheart malleable iron as this was and still is the most appropriate material for this style of ironmongery, the strength and durability qualities help give it the long life you would expect from a quality item. Being the market leader the inevitable has happened and competition/rivals/other people have copied our style of ironmongery. There are now a lot of copies of some of our range on offer, but very few of them are made from the true whiteheart malleable iron process, and therefore may not give you the service and lifespan expected. All malleable iron products supplied by ourselves are made in house at our factory from the raw materials stage to the finished product.

We do however still hold some stocks of both finished and unassembled malleable castings of lines we have omitted from this catalogue. These can still be assembled and purchased whilst stocks last. Please feel at liberty to ask about the availability of patterns from earlier catalogues that you may be interested in and are not shown in this 2004 edition.

Kirkpatrick Ltd pursues a policy of constantly updating and reviewing the product range and reserves the right to alter specification or availability without notice.

All patterns subject to alteration without notice.

THE MANUFACTURE OF MALLEABLE IRON

The name of Kirkpatrick Ltd. has been synonymous with the production of high quality malleable iron builders' ironmongery for over 140 years. This latest catalogue shows our extensive range of both Black Antique and Plain Gothic styles.

Cast iron products have been familiar to the general public for many years. However, there are many varieties of cast irons all of which have different properties and applications. Malleable iron is particularly suitable for the production of builders' ironmongery because of its strength and durability. It should not be confused with cheaper cast iron products which are also available.

All of our malleable iron products are hand made in our Foundry in Walsall using the greensand casting process. At this stage the castings are hard and brittle and cannot be hammered, filed or riveted into finished products. The castings are therefore subjected to a heat treatment process known as Annealing. In this process the castings are surrounded by an inert haematite ore within iron drums and loaded into ovens of six to eight tons capacity. The ovens take about two days to reach the Annealing temperature of 980C. The castings are then soaked at this temperature for around 80 hours after which they are allowed to cool naturally. During this process the carbon structure of the iron is changed. The resulting castings are no longer hard and brittle but soft and malleable.

After shot blasting and grinding to remove any rough edges the castings are then assembled into finished or semi-finished products. Following assembly a rust proofing finish may be applied and a two-coat paint process is carried out before the products pass into our warehouse for final inspection, assembly and packaging ready for despatch.

We hope that the foregoing has been interesting and informative and will help develop a greater understanding of what is involved in the production of traditional hand made ironmongery and in particular the length of the production process. Please read this in conjunction with the section on the upkeep of ironmongery below which may be of use in your choice of material or finish.

By choosing Kirkpatrick Ltd. malleable iron products you can be confident that you are purchasing a quality product which is both functional and highly decorative and one that, well maintained, will give many years of service and pleasure.

TIPS ON THE UPKEEP OF IRONMONGERY

Iron in any form, whether Cast or Malleable, is susceptible to rusting. During our finishing process we endeavour to cover all areas of Antique Ironmongery by first dipping into a liquid paint which is then stove dried. This is then followed by the Black Powder Coating process, which is also cured by stoving. Inevitably when two areas of metal come into contact with each other an abrasive action is enacted, and sooner or later the painted surfaces are lost by the constant rubbing action. This is unavoidable during the operational activity of the article, so where obvious abrasive areas of moving parts are visible an occasional light oiling is recommended. This will help to prolong the good looks and keep the rusting process at bay. To remove harmful deposits which will cause corrosion (this is even more critical where one lives near to a coastline, as the salt in the sea air has a very corrosive affect on iron) we advise that the Ironmongery is regularly wiped over with a lightly oiled cloth.

We strongly advise that these precautions are taken. By adopting these simple precautions you will prolong the products life and enhance the beauty of your home.

BRASS, ARMOUR BRIGHT AND SELF-COLOUR LACQUER
(These finishes are not recommended for outside use)

The appeal of these finishes, although very attractive to the eye do not lend themselves to exterior use. These finishes are only protected by a stoved powder coat epoxy lacquer finish, and although adequate for internal purposes it does not weather well and protection life is limited for outdoor use.

The lacquer coating will not last indefinitely and under adverse atmospheric conditions (such as sea air, industrial pollution, etc.) the breakdown is likely to be accelerated. There is no guaranteed timescale for the lacquer to stay impervious to the elements so in some areas this breakdown will be quicker than in others.

You can help prolong the life of the lacquer by regular washing with soap and water followed by an application of wax polish and light oiling of moving parts.

Blind Fittings & Refrigerator Handles



424

Plain (no name)
6" 152mm
10 1/2" 267mm



Blind Arm Strap
Handed

434

For 3/4" or 7/8" Rod 12" x 1 1/4"
19 22mm 305 x 32mm



Chain Hooks

461

4" 102mm



Standard Plates
(Very Strong)

459

For 3/8" 7/16" 1/2" 5/8" Bars
10 11 13 16mm



Hook & Eye

458

7 1/2" 190mm



460

6" 152mm



Friction Roller Bracket

416

3 1/8" x 7/8" 79mm x 22mm
4" x 1 1/4" 102mm x 32mm



4206

1 3/8" 35mm
Outside diameter



2705

7/8" 1" 1 1/4"
22 25 32mm
Outside Diameter



419

Light Patterns
3" x 3/4" Hole
76mm x 19mm



Cannon Joints

450

3/4" 19mm Bore
7/8" 22mm Bore



Sliding Joints
or Runners

452

Square
3/4" 19mm to Slide
7/8" 22mm to Slide



End Sockets or
Tops and Bottoms

466A

3/4" 19mm Square
7/8" 22mm Square



442

Round
3/4" 19mm to Slide
7/8" 22mm to Slide



443

3/4" 19mm Round
7/8" 22mm Round



Refrigerator Handles
Not reversible, made left hand & right hand

3866

Overall
7" 178mm
9" 229mm



3869

Overall
7" 178mm
9" 229mm

Strap Bolts, Pulleys, Keys & Hooks various

Bucket Bracket

87



7" 178mm
10" 254mm

Carriage Key

4358



4 3/4" x 3"
121mm x 76mm

Cleat Hook


2637



3" 4" 5"
76 102 127mm

Single/Double Pulleys

1727



Single and Double
Iron Wheel

1 1/2" 38mm

Strap Bolts

For packing cases

124



3 1/2" x 5/16" 6" x 3/8" 8" x 5/8"
89 x 8 152 x 10 203 x 16mm

Manhole Cover Key

1263



5" x 4"
127mm x 102mm

Ceiling or Clothes Line Hook

219



Plate 2 1/2" x 1" 64 x 25mm
Plate 2" x 2" 51 x 51mm
Also with eye

Hat & Coat Hooks

2378

5 3/4" x 3"
146 x 76mm



212

6"
152mm



213

2 1/2"
64mm



Basket Hooks

3600



6" 8" 10" 12"
152 203 254 305mm

Rope Hook

1765

3 1/4" x 1"
83 x 25mm



357

Projection 2"
50mm



4269

5 1/2" x 3"
140 x 76mm



*Patterns being prepared
before production.*



*A part filled
annealing oven.*



*Moulders/Casters at work
in the foundry.*

Three Stages of Assembly



Drilling



Filing



Assembly



*Section of warehouse containing
finished stock.*



William Kirkpatrick, Esq., J.P.
BORN 1817 **DIED 1887**
Mayor of Walsall, 1887

Founder, in the year 1855, of the business in Walsall, that was carried on for many years in his name and under his direction.

William Kirkpatrick's father was John Kirkpatrick the Supreme Judge of the Ionian Islands - whose grandfather was Sir Thomas Kirkpatrick, the third Baronet. The first Baronet was created in 1685, for "his unswerving Loyalty to the Royal House of Stewart".

In 1901 the business was incorporated under the style of

Kirkpatrick Ltd.



The origin of "I mak siccar" forms a direct link with one of the most decisive events in Scotland's History.

The defeat of Wallace by Edward I at Falkirk in 1298, was reputed to be due to the defection of the forces of John Comyn, Earl of Badenoch, to the English. After the capture and execution of Wallace in 1304, Comyn had ambitions of becoming King of Scotland himself. It was at the Monastery in Dumfries that Robert the Bruce, a strong supporter of Wallace and Comyn came face to face. They quarrelled. Comyn was stabbed by Bruce. Rushing out to his escorts, Bruce told them "I doubt I have slain Comyn." Roger Kirkpatrick, saying "I mak siccar" (I'll make certain) ran into the building and finding Comyn wounded, but alive stabbed him to the heart. Subsequently Robert the Bruce was crowned King of Scotland in 1306.

In 1951 a bronze plaque was unveiled in Castle Street, Dumfries, marking the spot where Comyn was slaughtered.

Handrail Brackets, Shutter Flaps & Miscellaneous

3491

2" 2 1/2" 3"
51 64 76mm

3498

2" 2 1/2" 3"
51 64 76mm

3499

Extra Strong
2 1/2" 3 1/4"
64 83mm

Shutter Flaps

883 **3475**

Reversible
7" Spike
178mm

Flap
6" x 2"
152 x 51mm
Spike
4 1/4"
108mm

Trestle Joints

1776

STRONG
6" 8" 10" 12"
152 203 254 305mm

Screwed Shackles

1769

Wrought Iron
3/16" 5mm
1/4" 6mm

Wrought Iron 'S' Hooks
Zinc Plated Only

3026

1" 1 1/4" 1 1/2" 1 3/4" 2"
25 32 38 44 51mm

Spring Hooks
Measured full length to crew

115

2" 2 1/2" 3"
51 64 76mm

118

To Swivel
2" 2 1/2" 3"
51 64 76mm

Bulldog Rope Grip

1770

3/16" 1/4" 5/16"
5 6 8mm

3651



8" 203mm
10" 254mm

2788



3" 76 4" 102mm
Measured inside grip

1883



3" 76 3 1/2" 89 4" 102 5" 127 6" 152mm
Measured inside grip

4013



6" 152mm
7 1/2" 190mm
10" 254mm

2105



4 1/2" 114mm
Measured inside grip

Manger or Stable Rings
Measured inside Rings

847



1 1/2" 38mm
2" 51mm

2107



Plate 2 1/2" x 2" 64 x 51mm
Inside of Ring 1 1/2" 38mm


2036



Screwed and Nuted
2" 51mm
2 1/2" 64mm

Flush Ring & Flush Handle

3062



Inside Ring 3/4" 19mm
1" 25mm
1 1/4" 32mm
1 1/2" 38mm

4327




Plate 2 1/2" x 1 3/4" 64 x 44mm
3" x 2 1/8" 76 x 54mm
3 1/2" x 2 1/2" 89 x 64mm
4" x 3" 102 x 76mm

4 1/2" x 3" 114 x 76mm
6 1/2" x 4 1/2" 89 x 64mm
165 x 114mm

Fire Baskets
(Grey Iron)

5002



16" 406mm 18" 457mm

Grate Bars
(Grey Iron)

5003






1, 2, 3 and 4 Bar
Length 12" 304mm

Angle Plates	A			H	Handles Handles Lever Handrail Bracket Hanging Lamps & Brackets Hasps & Staples Hat & Coat Hooks Hinges Hinge Fronts	1, 2, 5, 6 7, 8 23 22 21 17 13, 14, 15 15, 16	
	21					
	B							
	Basket Hook	..	23					
	Bathroom Turn & Release	..	25					
	Bedroom Door Knockers	..	1					
	Bell Cranks	..	20					
	Bell Pulls	..	20					
	Bell Pushes	..	20					
	Bolts Door	..	12					
Box Corners	..	21	I Intermediate Light Switch			..	25	
Cabin Hooks	C			K	Kicking Plate	6
	Cabinet Handles	..	1					
	Canadian Latch	..	4					
	Casement Fasteners	..	18					
	(Mortice Plate or Hook Plate)							
	Casement Stays	..	19					
	Chest Handle	..	21					
	Clothes Rack	..	25					
	Coal Vase Tongs	..	23					
	Cup Hooks	..	21					
Cupboard Knobs	..	21	L	Lamps Electric Letter Plates Lever Door Handles Lift Off Hinge Lock Furniture Locking Pivot Loose Letters	22 10, 26 7, 8 23 9, 26 19 17		
Cylinder Latch Covers	..	10						
Cylinder Latch Knockers	..	11						
Cylinder Latch Postal Knockers		10						
Cylinder Latch Pulls	..	10						
D								
Door Chain	..	21						
Door or Gate Handles	..	2						
Door Grilles	..	22						
Door Knobs Mortice or Rim	..	9, 26						
Door Knockers	..	11, 26						
Door Numbers	..	17						
Door Pull Handles	..	5, 6						
Door Studs	..	8						
Drawer Handles	..	1						
Drawer Pulls	..	21, 26	S	Sash Lifts Shelf Brackets Shutter Fasteners Star Spindle Knob Switch Plates	21 23, 25 17 25 25, 27		
E								
Escutcheons	..	8						
Espagnolette Bolt	..	28						
Euro Lock Plates (3-Way)	..	8						
F								
Finger Plates	..	6						
Flush Bolts	..	12						
French Window Fasteners	..	18						
G							W	Wall Lights Wardrobe Hooks Weighted Lock Handles
Gate Latches	..	2, 3, 4						

Index to Numbers

116	. 19	810	. 13	980	. 21	1160	. 16	1487	. 10	2151	. 16	3603	. 6
153	. 8	810F	. 13	985	. 1	1161	. 13	1490	. 8	2155	. 5	3612	. 23
400	. 22	812	. 12	996	. 1	1162	. 23	1493	. 8	2156	. 6	3613	. 4
401	. 22	813	. 23	997	. 1	1163	. 23	1494	. 8	2157	. 5	3618	. 3
403	. 22	814	. 13	1009	. 1	1165	. 18	1498	. 10	2164	. 5	3619	. 3
405	. 22	814F	. 13	1013	. 1	1166	. 18	1501M	. 8	2167	. 5	3623	. 3
406	. 22	816	. 13	1018	. 1	1172	. 14	1502M	. 8	2170	. 5	3624	. 3
407	. 22	817	. 16	1027	. 18	1173	. 17	1503M	. 8	2172	. 5	3625	. 4
564	. 6	818	. 16	1028	. 18	1174	. 17	1504M	. 8	2173	. 5	3628	. 4
571	. 11	819	. 15	1050	. 14	1177	. 18	1507	. 14	2175	. 22	3630	. 4
572	. 6	820	. 15	1051	. 14	1179	. 18	1508	. 13	2176	. 22	3631	. 4
574	. 11	821	. 15	1053	. 20	1180	. 19	1509	. 14	2433	. 7	3652	. 6
576	. 5	823	. 16	1057	. 16	1181	. 18	1510	. 15	2434	. 7	3960	. 21
577	. 6	828	. 20	1060	. 16	1181NV	. 18	1511	. 15	2439	. 7	4146	. 6
578	. 11	829	. 14	1064	. 8	1182	. 18	1512	. 15	2440	. 7	4185	. 23
586	. 11	830	. 12	1065	. 8	1183	. 19	1513	. 15	2442	. 7	4187	. 23
619	. 13	832	. 11	1069	. 9	1184	. 19	1515	. 15	2444	. 7	4463	. 17
620	. 13	834	. 21	1073	. 10	1185	. 18	1516	. 15	2445	. 7	4520K	. 11
621	. 14	836	. 17	1074	. 23	1186	. 18	1517	. 13	2448	. 7	4601	. 23
622	. 14	837	. 17	1077	. 19	1190	. 8	1518	. 13	2449	. 7	4748	. 20
632	. 2	838	. 18	1078	. 19	1192	. 1	1520	. 14	2450	. 7	4896	. 11
641	. 15	846	. 11	1081	. 8	1193	. 18	1521	. 15	2451	. 8	5115	. 27
644	. 21	853	. 11	1083	. 10	1194	. 21	1527	. 1	2454	. 8	5116	. 27
645	. 14	855	. 2	1085	. 10	1195	. 21	1528	. 1	2459	. 8	5117	. 27
651	. 5	857	. 19	1089	. 9	1196	. 12	1539	. 1	2460	. 8	5118	. 27
654	. 16	866	. 2	1100	. 10	1197	. 11	1541	. 1	2461	. 8	5119	. 27
665	. 5	867	. 2	1102	. 10	1203	. 9	1543	. 1	2471	. 8	5120	. 27
668	. 5	869	. 2	1103	. 10	1204	. 9	1546	. 12	2488	. 8	5121	. 27
671	. 3	879	. 7	1117	. 11	1205	. 9	1547	. 12	2491	. 8	5122	. 27
672	. 17	896	. 11	1119	. 21	1206	. 9	1549	. 21	2493	. 8	5123	. 27
679	. 2	900	. 15	1120	. 14	1207	. 9	1550	. 9	2494	. 8	5124	. 27
688	. 3	902	. 12	1121	. 18	1211	. 9	1551	. 9	2495	. 8	5125	. 27
717	. 2	903	. 12	1121W	. 18	1212	. 9	1553	. 9	2496	. 8	5126	. 27
720	. 17	905	. 19	1124	. 4	1213	. 9	1553A	. 9	2520	. 8	5127	. 27
734	. 17	906	. 18	1125	. 6	1214	. 7	1554	. 9	2586	. 21	5130	. 25
740	. 17	907	. 3	1126	. 19	1215	. 9	1554A	. 9	2587	. 21	5131	. 25
745	. 17	910	. 1	1127	. 21	1217	. 1	1557	. 18	2614	. 1	5132	. 25
746	. 17	911	. 2	1128	. 14	1223	. 23	1558	. 13	2615	. 1	5133	. 25
751	. 20	916	. 1	1129	. 17	1233	. 10	1563	. 7	2618	. 1	5134	. 25
754	. 7	923	. 15	1130	. 17	1236	. 11	1564	. 7	2621	. 1	5135	. 28
766	. 17	925	. 15	1131	. 12	1238	. 21	1578	. 6	2622	. 1	5155I	. 25
767	. 17	926	. 15	1132	. 18	1239	. 11	1579	. 6	2623	. 1	RLC451	. 26
768	. 6	927	. 15	1135	. 21	1246	. 2	1753	. 20	2628	. 1	T540	. 26
769	. 6	931	. 21	1137	. 21	1247	. 2	1754	. 20	2629	. 1	T541	. 26
770	. 6	932	. 21	1145	. 3	1248	. 2	1756	. 20	2630	. 1	T692	. 26
771	. 6	933	. 21	1146	. 2	1249	. 2	1759	. 20	2723	. 18	T710	. 26
772	. 6	935	. 21	1147	. 4	1251	. 2	1761	. 20	2967	. 21	T940	. 26
773	. 6	936	. 21	1149	. 12	1253	. 20	1777	. 20	2968	. 21	T1020	. 26
777	. 17	937	. 6	1150	. 21	1257	. 12	1778	. 20	3011	. 8	T1102	. 26
782	. 11	939	. 16	1152	. 4	1324	. 10	1783	. 20	3023	. 23	WPE906	. 26
797	. 16	944	. 11	1153	. 1	1400	. 8	1814	. 23	3025	. 23	WPE910	. 26
798	. 16	950	. 11	1154	. 12	1401	. 8	1820	. 14	3056	. 9	WPE911	. 26
799	. 13	962	. 10	1155	. 12	1402	. 8	1855	. 24	3064	. 9		
802	. 13	967	. 10	1156	. 12	1460	. 18	1963	. 10	3066	. 9		
807	. 5	974	. 15	1157	. 12	1484	. 10	1976	. 17	3067	. 9		
808	. 9	977	. 16	1158	. 12	1485	. 10	1977	. 17	3072	. 9		
809	. 13	978	. 16	1159	. 14	1486	. 10	1979	. 17	3497	. 23		

Gate Stops, Catches & Boot Scrapers




Locking Bars, Hasps & Staples, Hinges & Bolts

Antique Ironwork

Measured when open

3413



6" 8" 10" 12" 15" 18"
152 203 254 305 381 457mm
Width 1 1/2" 38mm in all sizes (chiefly wrought iron)


3416

Safety Hasp & Staple




4" 102mm
6" 152mm
When closed
2" 51mm
width

3430




8" x 1 1/2" 10" x 1 5/8" 12" x 1 3/4" 14" x 1 7/8" 16" x 2" 18" x 2 1/2" 20" x 2 1/2"
203 x 38 254 x 41 305 x 44 356 x 48 406 x 51 457 x 64 508 x 64mm

4507




6" x 2 1/4"
152mm x 57mm

3665




24" x 2 1/2" 30" x 2 1/2" 36" x 2 1/2"
610 x 64 762 x 64 915 x 64mm

4196



5" x 3 1/4" x 1 1/8"
127 x 83 x 29mm

4290



6" x 1 1/2" 8" x 1 1/2" 10" x 1 5/8" 12" x 1 3/4"
152 x 38 203 x 38 254 x 41 305 x 44
14" x 1 7/8" 16" x 2" 18" x 2 3/8" 20" x 2 3/8"
356 x 48 406 x 51 457 x 60 508 x 60mm

4195



6" x 5" x 2 1/4"
152 x 127 x 57mm

1735

Parliament Hinges



4" Proj 102 mm

4509

Trap Door Hinges



12" x 8" 305 x 203mm
15" x 8" 381 x 203mm

Shutter Bar Catch


4420




Plate 4" x 1 1/2"
102 x 38mm
To suit bars
3/8" 10mm

4321

Bolt
Straight or Cranked
6" x 1 3/4" 152 x 45mm




796




Width of Plate 2 1/4" 57mm
8" 10" 12" 15" 18" 21" 24" 27" 30" 36"
203 254 305 381 457 533 610 686 762 915mm

5004



Dog Bolts
(Malleable Iron)
Length 3 1/2" 89mm
Width 1" 25mm

4090











Width of Plate 2 1/4" 57mm
12" x 5/8" 15" x 5/8" 18" x 5/8" 21" x 5/8" 24" x 5/8" 30" x 3/4" 36" x 3/4" 48" x 3/4"
305 x 16 381 x 16 457 x 16 533 x 16 610 x 16 762 x 19 915 x 19 1220 x 19mm

Cabinet & Drawer Handles








1009 33 x 33mm 1018 30 x 30mm 985 80 x 35mm 910 50 x 25mm 916 67 x 36mm 996 60 x 60mm 997 55 x 45mm 1541 75 x 50mm







1153 65 x 50mm 1013 35mm dia. 1192 40 x 40mm 1528 80 x 35mm 1217 35mm dia. 1543 42mm dia. 1527 40 x 40mm 1539 107 x 60mm

Bedroom Door Knockers



2614 5 3/4" x 2 1/2"
146 x 63mm
Blood Hound in Kennel 2615 4 1/8" x 1 1/4"
104 x 31mm
Blood Hound 2618 4 1/4" x 1 1/4"
108 x 31mm
Laughing Cat 2621 3" x 3 1/2"
76 x 89mm
Bat 2622 4" x 1 1/2"
101 x 38mm
Lincoln Imp




2623 4" x 1 1/2"
101 x 38mm
Owl 2628 4 1/2" x 1 3/4"
114 x 45mm 2629 5" x 2"
127 x 50mm 2630 5 1/4" x 3 1/8"
133 x 79mm

Antique Ironwork

Window Stays & Fasteners

Gate Furniture



1248
Latch 8" 203mm 10" 254mm



1246
Latch 6" 152mm 8" 203mm



1251
Latch 5" 127mm 7" 177mm




1146
Latch 5" 127mm




1247
Latch 7" 177mm




1249
Latch
6" 152mm 7" 177mm
8" 203mm 10" 254mm
1249 6" and 7" are supplied with
1146 Catch and Staple not as shown above.



867
Latch 5" 127mm 6" 152mm




866
Latch 7" 177mm 8" 203mm



855
Latch 10" 254mm



717
Rose 5" x 3"
127 x 76mm
Handle 3 1/2" 89mm



869
Latch 8" 203mm




632
Rose 4" 101mm
Handle 4" 101mm



911
Rose 2 1/2" 63mm
Handle 3" 76mm



679
Rose 2 1/2" 63mm
Handle 3" 76mm




171
6" 8" 10" 12"
152 203 254 305mm




504
10"
254mm




858
11" 13"
279 330mm



1312
8" 10" 12"
203 254 305mm




140
Mortice Plate



141
Hook Plate
O/A length
4 3/4" 120mm



144
Mortice Plate



145
Hook Plate
O/A length
4 1/4" 108mm




859
Mortice Plate
Hook Plate
O/A length
4 1/4" 108mm




2709
O/A length
4 1/2" 114mm



3365
Mortice/Hook
Plate
O/A length
4 1/2" 114mm



3998
Sizes when open
10" 12"
254 305mm



1298
6" 8" 10" 12" 15"
152 203 254 305 381mm




2594



1752
Skylight Stay
10" 12" 15" 18" 21" 24" 27" 30" 36" 42" 48"
254 305 381 457 533 610 686 762 915 1066 1220mm
Measured Full Length



607 607A
Spring Fanlight Catches
With Gun
Metal Shoots
Plate 1 1/4" Long x 1 3/4" Wide
32mm x 44mm



439
Always
6"
152mm



3900
7" 8 1/2"
178 216mm



4120
Roller Arms for Fanlights
6" 8"
152 203mm



3754
5" 127mm
7" 178mm
Also flush fitting
Black finish only



438
Preston Stay
12" 15" 18"
305 381 457mm

Door Knob Furniture & Escutcheons

3370



Knob 27/8" 73mm
Rose 3" 76mm

3372



Knob 23/4" 70mm

4064



Knob 21/2" x 11/2" 64mm x 38mm
Rose 23/8" 60mm

4085



Knob 15/8" 41mm
Rose 23/8" 60mm

C387



Rim or Mortice
Cast Iron
Ball 13/4" 44mm

3070



Gate
Rim 21/4" 57mm
Mortice

3075



Rim or Mortice
Knob 21/2" x 11/2" 64mm x 38mm
Rose 21/2" x 21/2" 64mm x 64mm
Escutcheon 11/2"sq 38mm

4064



Wilkes Rim
Wilkes Mortice
Knob 21/2" x 11/2" 64mm x 38mm
Round Rose 23/8" 60mm

1949



Knob
1" dia 25mm

3012



Steel
17/8" 48mm

3039



2" 51mm

3042



21/2" 64mm

3045




Mortice
2" 51mm

Antique Ironwork

Thumb Latches




3624
Handle 8" 203mm
Latch 81/2" 216mm
Handle 91/4" 235mm
Latch 81/2" 216mm




Latch 9" 228mm


671
10" x 21/2"
254 x 63mm



1145
Handle Plate 7" x 11/2"
177mm x 38mm
Latch 9" 228mm



3618
Handle 9" x 21/2"
228mm x 63mm
Latch 73/4" 197mm



688
Handle Plate 10" x 2"
254mm x 50mm
Latch 7" 177mm



3619
Handle 8" x 21/2"
203mm x 63mm
Latch 5" 127mm



3623
Handle 8" 203mm
Latch 6" 152mm




907
Cranked Handle 71/2" 190mm
Latch 51/2" 139mm

Antique Ironwork


Thumb Latch Furniture

Thumb Latches



3625
9" 228mm Bow Handles
each side of the door
Latch 8" 203mm

3628
Handle 10 1/4" x 2 7/8"
260mm x 73mm
Latch 9 3/4" 247mm



3613
Handle 6" 152mm
Latch 4 1/2" 114mm

1147
Handle 7 3/4" 197mm
Latch 6" 152mm

1124
Handle Plate
7 1/2" x 2" 190mm x 50mm
Latch 4" 101mm



3630
7 1/2" x 2 1/2"
190mm x 63mm


Latch 6" 152mm
Complete with either pattern handle

3631
7 1/2" x 2 1/2"
190mm x 63mm




Gate Latch

1152
Latch 6" 152mm




1684
PLATE
8 1/2" x 1 3/4" 216mm x 44mm
Inside of Handle 3 1/2" 89mm

LATCH
8" 203mm




20 8" x 2" 203mm x 50mm

50 8 1/2" x 2" 216mm x 50mm



3622
PLATE
7 1/2" x 1 3/8" 191mm x 35mm
Inside of Handle 3 1/2" 89mm

LATCH
8 1/2" 216mm



Handle 7 1/2" 191mm Cranked or Straight
Latch 4 1/2" 114mm Cranked version has Locking Wedge



4320
Very Strong
Plate
9 1/2" x 2 1/4"
241mm x 57mm
Latch
9" 229mm
Inside of Handle
4 1/4" 108mm




4305
Malleable
Reversible
Plate
7 1/2" x 1 3/4"
191mm x 44mm
Inside of Handle
3 1/2" 89mm

Door & Gate Furniture


Antique Ironwork

3258




Latch 5" 127mm
Latch 6" 152mm
Latch 7" 177mm

3979




Latch 5" 127mm
Latch 6" 152mm
Latch 7" 177mm

4438




Latch 6" 152mm

3984



Latch 6" 152mm
Latch 7" 177mm

4088



Latch 6" 152mm
Latch 8" 203mm

491






Plate 4 1/4" 108mm
Ring 3" 76mm

3431



Ring 3" 76mm
Plate 3" 76mm

3981



Ring 3" 76mm
Plate 3" 76mm

Automatic Door Catch

582




3" 76mm Overall

Cabin Hooks

1637


1011




3"	4"	6"	8"	10"	12"	14"	16"	18"
76	102	152	203	254	305	356	406	457mm

Door Pull Handles


Door Handles for Weighted Locks




665
Cranked Handle Plate
13 3/4" x 1 3/4"
349mm x 44mm




651
Straight Handle Plate
15 3/8" x 3"
390mm x 76mm




2164
Straight
Plate 15" x 2"
381mm x 50mm



2167
Plate 15" x 2"
381mm x 50mm




2173
Plate 17 1/2" x 3"
444mm x 76mm
Inside Grip
7 1/2" 190mm




2157
Plate 12" x 2 1/2"
304mm x 63mm
Inside Grip
6" 152mm


We can supply locks to suit these handles.




807
6" x 1 3/4"
152mm x 44mm
10 1/2" x 2 1/4"
266mm x 57mm




668
Plate 12 1/2" x 2"
317mm x 50mm




2170
6" 153mm
10 1/2" 266mm



576
Plate 10" x 2"
254mm x 50mm



2172
Plate 10 1/2" x 1 3/4"
266mm x 44mm



2155
Plate 13 3/8" x 2 7/8"
339mm x 73mm
Inside Grip 6" 152mm

Pull Handles & Finger Plates



1125
6" 152mm



937
5" 127mm



1579
6" 152mm



3603
8" x 2 1/2"
203mm x 63mm



564 Handle
4" 100mm
5" 127mm
6" 152mm
7" 177mm
9" 228mm



577
Handle 7 1/2"
190mm



1578
8 1/2" x 2 1/2"
215mm x 63mm




3652
Handle 10"
254mm




572
Handle 9"
228mm


Kicking Plates for Doors




4146
Plain Pattern



768
8 3/4" x 2 7/8"
222mm x 73mm



771
12" x 2 7/8"
304mm x 73mm




773
12" x 2 7/8"
304mm x 73mm



772
12" x 2 7/8"
304mm x 73mm



2156
13 3/8" x 2 7/8"
339mm x 73mm



770
12" x 2 1/4"
304mm x 57mm



769
12" x 2 1/2"
304mm x 63mm

Page	No	Page	No	Page	No	Page	No
2	: 20	8	: 883	3	: 3042	5	: 4290
2	: 50	11	: 1005	3	: 3045	2	: 4305
9	: 87	1	: 1011	7	: 3062	2	: 4320
8	: 115	9	: 1263	3	: 3070	5	: 4321
8	: 118	4	: 1298	3	: 3075	7	: 4327
10	: 124	4	: 1312	1	: 3258	6	: 4342
4	: 140	1	: 1637	4	: 3365	9	: 4358
4	: 141	2	: 1681	3	: 3370	6	: 4359
4	: 144	2	: 1684	3	: 3372	5	: 4420
4	: 145	9	: 1727	5	: 3413	1	: 4438
4	: 171	5	: 1735	5	: 3416	5	: 4507
6	: 179	4	: 1752	5	: 3430	5	: 4509
6	: 180	9	: 1765	1	: 3431	7	: 5002
9	: 212	8	: 1769	8	: 3475	7	: 5003
9	: 213	8	: 1770	8	: 3491	5	: 5004
9	: 219	8	: 1776	8	: 3498	6	: 5005
9	: 357	7	: 1883	8	: 3499		
3	: C387	11	: 1911	6	: 3530		
10	: 416	3	: 1949	9	: 3600		
10	: 419	7	: 2036	2	: 3622		
10	: 424	7	: 2105	7	: 3651		
10	: 434	7	: 2107	5	: 3665		
4	: 438	9	: 2378	11	: 3679		
4	: 439	11	: 2456	4	: 3754		
10	: 442	11	: 2519	10	: 3866		
10	: 443	11	: 2561	10	: 3869		
10	: 450	11	: 2564	4	: 3900		
10	: 452	11	: 2565	1	: 3979		
10	: 458	4	: 2594	1	: 3981		
10	: 459	9	: 2637	1	: 3984		
10	: 460	10	: 2705	4	: 3998		
10	: 461	4	: 2709	7	: 4013		
10	: 466A	6	: 2755	3	: 4064		
1	: 491	6	: 2758	3	: 4064 Wilkes		
4	: 504	6	: 2759	3	: 4085		
1	: 582	6	: 2760	1	: 4088		
4	: 607	6	: 2761	5	: 4090		
4	: 607A	7	: 2788	4	: 4120		
5	: 796	6	: 2842	5	: 4195		
7	: 847	3	: 3012	5	: 4196		
4	: 858	8	: 3026	10	: 4206		
4	: 859	3	: 3039	9	: 4269		

Alphabetical Index

Antique Ironwork

Article	A	Page
---------	---	------

Allways Stay	:	4
Automatic Door Catch	:	1, 6

Article	B	Page
---------	---	------

Basket Hook	:	9
Blind Makers Fittings	:	10
Broom Holder	:	6
Bucket Brackets	:	9
Bull Dog Rope Grips	:	8
Boot Scrapers	:	6

Article	C	Page
---------	---	------

Cannon Joints	:	10
Cabin Hooks	:	1
Carriage Door Key	:	9
Casement Fasteners	:	4
Casement Stays	:	4
Ceiling Hooks	:	9
Chain Hook	:	10
Cleat Hook	:	9
Cupboard Knob	:	3

Article	D	Page
---------	---	------

Dog Bolts	:	5
Door Bolts	:	5
Door Knob Furniture	:	3
Door Knocker	:	11
Door & Sash Handles	:	7

Article	E	Page
---------	---	------

End Sockets	:	10
Escutcheons	:	3

Article	F	Page
---------	---	------

Fanlight Stays	:	4
Fire Baskets	:	7
Flush Rings & Lifts	:	7
Friction Roller Bracket	:	10

Article	G	Page
---------	---	------

Gate Catches	:	6
Gate Stops	:	6
Grate Bars	:	7

Article	H	Page
---------	---	------

Handrail Brackets	:	8
Hasps & Staples	:	5
Hat & Coat Hooks	:	9
Hinge	:	11
Hooks	:	9
Hook & Eye	:	10

Article	L	Page
---------	---	------

Latch Furniture	:	1, 2
Letter Plates	:	11
Locking Bars	:	5
Long Arm Hooks	:	10

Article	M	Page
---------	---	------

Manger Rings	:	7
Manhole Cover Key	:	9

Article	P	Page
---------	---	------

Parliament Hinges	:	5
Pulleys	:	9
Preston Stays	:	4

Article	R	Page
---------	---	------

Refrigerator Handles	:	10
Roller Arms	:	4
Rope Hook	:	9
Rule Joint Stays	:	4

Article	S	Page
---------	---	------

'S' Hooks	:	8
Sash Handles	:	7
Screwed Shackles	:	8
Shutter Bar Catch	:	5
Shutter Flaps	:	8
Skylight Quadrants	:	4
Skylight Stays	:	4
Spring Fanlight Catch	:	4
Spring Hooks	:	8
Spring Lever Handles	:	11
Stop Catches	:	6
Strap Bolts	:	9
Shoe Remover	:	6
Standard Plates	:	10


Article	T	Page
---------	---	------

Thumb Latches	:	2
Trap Door Hinges	:	5
Trestle Joints	:	8

Article	W	Page
---------	---	------

Wardrobe Hooks	:	9
Window Stays	:	4


Lever Door Handles can be made Lock, Latch or Bathroom where feasible (All Spring Loaded)




Bathroom, Euro, and Oval Profile available where pattern allows but at extra cost.

Antique Ironwork


Lever Door Handles can be made Lock, Latch
or Bathroom where feasible (All Spring Loaded)




Euro Lock Plates 3-Way Locking System



Escutcheons



Door Studs to Drive or Screw



Kirkpatrick Ltd



General Section

Bathroom, Euro, and Oval Profile available where pattern allows but at extra cost.


Antique Ironwork

5135 Espagnolette Bolt

This new product replaces the 4534/4536



HANDING & OPERATION




The cassette system used in this product allows it to be either left or right handed, to suit any door arrangement.

For help in deciding the correct handing for your door see diagram above, then make sure that the cassette label showing the hand you want always faces away from the door.


CASSETTE FIXING

Slide two guides (G) onto bottom rod (M) and fix this rod to the bottom of the cassette (K) as shown, using screw and lock-washer (B). Using this assembly, mark out the position for the cassette fixing screws (A) on the door.

It is important to check that the bottom of the rod fits the opening rather than the door - do this with the door closed in its frame. Using only the screw positions shown, fix cassette (K) to door using screws (A) - the other two holes are to take the screws for fixing the cover handle into position.





ROD & GUIDE FIXING



Slide two guides (G) onto top rod (L), and fix this rod to the top of the cassette (K) using screw and lock washer (B). Locate both guides as shown in diagram and fix into position using screws (D). Take care to keep rods vertical - in order to do this it is helpful to fix end guides first.

CASSETTE & COVER HANDLE

Insert spindle (E) into centre of cassette (K) before sliding cover handle (F) over it. Ensure handle is in open position (see fig 1) when fitting over cassette as shown. Ensure bolt operates smoothly, then remove cover handle (F) and tighten all screws securely. Replace cover handle (F) and screw firmly into place using screws (C).



Antique Ironwork

Door Knobs, etc. Mortice or Rim



808
Knob 2" 50mm
Rose 2 1/2" 63mm



1069
Knob 1 3/4" 44mm
Rose 2 5/8" x 2" 66mm x 50mm



1089
Knob 2 3/8" x 1 1/2" 60mm x 38mm
Plate 2 3/8" x 2" 66mm x 50mm



1203
Knob 2" 50mm
Plate 2 5/8" x 2" 66mm x 50mm



1205
Knob 2" 50mm
Rose 3 3/8" 85mm



1206
Knob 2" 50mm
Rose 2 3/8" 60mm



1207
Knob 2" 50mm
Rose 3 3/8" 85mm



3067
Knob 1 3/4" 44mm
Plate 2 1/4" 57mm




1553
Mace's Mortice Furniture
Knob 2 3/8" x 1 1/2" 60mm x 38mm
Plate 2 5/8" x 2" 66mm x 50mm




1550
Knob 2 1/2" x 1 1/2" 63mm x 38mm
Plate 2 1/4" 57mm



1551
Knob 2 1/2" x 1 1/2" 63mm x 38mm
Rose 2 5/8" x 2" 66mm x 50mm



3056
Knob 2 1/4" 57mm
Rose 2 1/2" 63mm
Knob 2 3/4" 70mm
Rose 3" 76mm



1553A
As above but for Rim



1211
Knob 2" 50mm
Plate 8" x 2 5/8" 203mm x 66mm



1212
Knob 2" 50mm
Plate 8" x 2 5/8" 203mm x 66mm



1213
Knob 2 1/2" x 1 1/2" 63mm x 38mm
Plate 8" x 2 5/8" 203mm x 66mm




MORTICE LOCK 1215
3 Lever
Front Plate 7" x 1 1/4" 178mm x 32mm
5 Lever
Front Plate 7" x 1 1/4" 178mm x 32mm



1554
Mace's Mortice Furniture
Knob 1 3/4" 44mm
Plate 2 5/8" x 2" 66mm x 50mm

1554A
As above but for Rim



3072
Knob 3 1/4" 82mm
Rose 6 3/4" x 4 3/4" 171mm x 120mm



3066
Knob 3 1/4" 82mm
Rose 4" dia. 101mm



3064
Knob 2 3/4" 70mm
Rose 3" 76mm

CENTRE DOOR KNOBS

RIM SETS

Lock or Latch and Deadlock


1204
Lock Body 4 3/4" x 4" x 3/4" 120mm x 102mm x 19mm



With 1550 Knob and Oval Escutcheon Wilkes Spindle. When ordering please advise Right or Left hand required. (Left hand as shown).

Antique Ironwork

Postal Knockers, Letter Plates, Cylinder Latch Covers & Pulls
Bolts and Nuts included where necessary




1073

Outside measure 12" x 3" 304mm x 76mm
Opening 6" x 1 1/2" 152mm x 38mm
Outside measure 14 1/4" x 3 1/2" 362mm x 88mm
G.P.O. Opening 8" x 1 3/4" 203mm x 44mm
Outside measure 16 1/2" x 3" 419mm x 76mm
Opening 10 1/4" x 1 5/16" 260mm x 33mm




1083

Outside measure 8" x 3" 203mm x 76mm
Opening 5 1/2" x 1 3/8" 139mm x 35mm
Outside measure 10 1/2" x 4 1/4" 266mm x 108mm
Opening 8" x 1 3/4" 203mm x 44mm
Outside measure 13 3/4" x 4" 349mm x 102mm
Opening 9 3/4" x 2 1/8" 248mm x 53mm
Outside measure 13 3/4" x 5" 349mm x 127mm
Opening 11" x 2 1/2" 279mm x 63mm



962

Outside measure 9" x 4" 228mm x 101mm
Opening 6 3/4" x 1 5/8" 171mm x 41mm



1324

Outside measure 9" x 3" 228mm x 76mm
Opening 6 1/8" x 1 5/8" 155mm x 41mm
Outside measure 10 1/2" x 4" 267mm x 102mm
Opening 8" x 1 3/4" 203mm x 45mm



1100

10" x 3 1/4"
250mm x 80mm

1102

12" x 3 1/4"
304mm x 80mm

1103

14" x 4"
355mm x 101mm




1963

Outside measure 11 5/8" x 4 1/4" 295mm x 108mm
Opening 8" x 1 3/4" 203mm x 44mm




967

Outside measure
12 1/2" x 3" 317mm x 76mm
Opening
5 1/2" x 1 1/2" 139mm x 38mm



1085

Outside measure 12" x 4" 304mm x 101mm
Opening 5 1/2" x 1 1/2" 139mm x 38mm
Outside measure 14 1/4" x 4 1/8" 362mm x 104mm
G.P.O. Opening 8" x 1 3/4" 203mm x 44mm



1484

2 1/2" x 2 1/4"
63mm x 57mm



1498

2 5/16" x 2 5/16"
58mm x 58mm



1485

3 1/2" x 2"
89mm x 51mm



1486

5" x 2 1/2"
127mm x 63mm



1487

5" x 2 1/2"
127mm x 63mm



1233

Outside measure
12 1/4" x 2 1/4" 311mm x 57mm
Opening
5 1/4" x 1 1/8" 133mm x 28mm

Switch Plates

Hammered Black Finish



5115

Single Switch




5116

Double Switch




5117

Single Socket




5119

TV Coax



5120/5125

BT Slave/BT Master




5121

Single Dimmer



5122

Double Dimmer




5126

Single Blank



5127

Switched Fused Spur



5118

Double Socket



5123

3 Gang Switch




5124

4 Gang Switch

The Rawnsley Grey Iron Range

Antique Ironwork



T540
Width 10" 250mm Aperture 7 1/4" x 1" 183mm x 25mm



T541
Width 8 1/2" 215mm Aperture 5" x 1" 127mm x 25mm




T940
Knob 2 1/2" 63mm



T1102
Width 4 1/2" 115mm



T1020
Width 4 1/2" 115mm



RLC 451
Lock Body
6 1/4" x 4 1/2" 158mm x 115mm



T710
Length 7 1/2" 190mm



WPE 911
Length 7 1/2" 190mm



T692
Length 9 1/4" 234mm



WPE 910
Length 7" 177mm



WPE 906
Length 9 1/2" 240mm



578
7 3/4" x 4 1/2"
197mm x 114mm



944
Plate 7 1/2" x 3 3/4"
190mm x 95mm



832
Plate 10" x 2"
254mm x 50mm



1236
5 3/4" x 2 1/2"
146mm x 63mm




950
Plate 8 1/4" x 3 1/2"
209mm x 89mm



896
Ring 4" 101mm
Plates 5" x 4 1/2" 127mm x 114mm



846
Ring 5" 127mm
Plates 2 3/4" 69mm



1117
4" x 2"
101mm x 50mm



586
5 1/2" x 4"
140mm x 102mm



4896
Head 4 1/2" x 3 3/4"
115mm x 95mm
Ring 4" 100mm



1239
6 1/2" x 2 3/4"
165mm x 70mm



853
Plate 7 3/4" x 2 1/4"
197mm x 57mm



574
Plate 5" x 5"
127mm x 127mm



571
German 16th Century
"Dolphin" Pattern
8" x 2" 203mm x 50mm



4520K
6 3/4" x 2 5/8"
171mm x 66mm

Door Knockers & Cylinder Latch Knocker

Bolts and Nuts included where necessary

Antique Ironwork

New Products

Bolts

Some cranked versions available



1155

Plate 6" x 1 3/4" 152mm x 45mm
Plate 8" x 2 1/8" 203mm x 54mm
Plate 10" x 2 1/8" 254mm x 54mm
Plate 12" x 2 1/8" 303mm x 54mm



1156

Plate 6" x 2" 152mm x 50mm
Plate 8" x 2" 203mm x 50mm



1157

Plate 4 1/2" x 1 1/2" 114mm x 38mm
Plate 7 1/2" x 2 1/4" 190mm x 57mm
Plate 9 1/2" x 2 1/4" 241mm x 57mm
Plate 11 1/2" x 2 1/4" 292mm x 57mm
Bolt 5" 127mm
Bolt 8" 203mm
Bolt 10" 254mm
Bolt 12" 304mm

Cranked Versions Available		
1155	1157	1131
6" 152mm	5" 127mm	4" 101mm
8" 203mm	8" 203mm	
1156	830	812
6" 152mm	4" 101mm	8" 203mm
8" 203mm	6" 152mm	



1131

Cranked or Straight
Plate 4" x 1" 101mm x 25mm



903

Plate 6" x 2 1/2" 152mm x 63mm
Plate 8 3/4" x 3 1/2" 222mm x 89mm
Bolt 6" 152mm
Bolt 9" 228mm



1196

2 1/2" x 1 3/8" 63mm x 35mm



902

Plate 5" x 2" 127mm x 50mm
Bolt 6" 152mm



830

Bolt 4" 101mm
Bolt 6" 152mm



812

Plate 7 5/8" x 2" 193mm x 50mm
Plate 9" x 2 1/8" 228mm x 54mm
Plate 11" x 2 1/4" 279mm x 57mm
Bolt 8" 203mm
Bolt 10" 254mm
Bolt 12" 304mm



1149


Plate 12" x 2" 304mm x 50mm
Bolt 22" 555mm



1158

Flush Bolt

6" x 1" 152mm x 25mm
8" x 1" 203mm x 25mm



1257

Plate 7 1/2" x 2 1/4" 190 x 57mm



1154

Plate 4" x 1 1/2" 101mm x 38mm
Plate 6" x 1 1/2" 152mm x 38mm



1546

Straight



1547

Cranked
Plate 4" 101mm

5130

Clothes Rack



5131

Shelf Bracket
24" 36" 48" 60"



5132

Star Spindle Knob (Chubb)




5133

Bathroom Turn and Release



5155I

Intermediate Switch



5134

Tubular Latch

Antique Ironwork

Old English Style Name Plates - Gold on Black



Plate Size.	Length and approx. contents.
6" =	1 & 2 digits
8" =	3 digits or letters
10" =	4 letters
12" =	5 letters
14" =	6 letters
16" =	8 letters
18" =	10 letters
20" =	12 letters
22" =	14 letters


1855

This is an approximate guide as Capitals are larger than lower case letters and spaces must be allowed for between words. Our patterns shop will make your individual plate on the most appropriate size for the best results.

For names consisting of more letters than are feasible on the 22" long plate it may be better to use two plates alongside each other or one above the other.

Antique Ironwork

Hinges Overall Measurements



Antique Ironwork

Hinges Overall Measurements



1820 Hinge
16" x 4 1/4" 406mm x 108mm
18" x 4 3/4" 457mm x 120mm
20" x 4 3/4" 508mm x 120mm



1507
3 1/4" x 1 5/8"
82mm x 41mm



1051
5 3/4" x 2 3/4"
146mm x 69mm



1520
18" x 8" 457mm x 203mm



1050
6 1/4" x 2 1/8"
158mm x 54mm



621
20" x 8 1/4" 508mm x 209mm




829
3 1/2" x 2 5/8"
89mm x 70mm



1509
4 1/2" x 2 1/8"
114mm x 54mm



1120
3 1/2" x 1 5/8"
89mm x 41mm




645
18" x 4" 457mm x 101mm
24" x 4" 609mm x 101mm



1172
6" x 3 1/2" 152mm x 88mm
9" x 4 1/2" 228mm x 114mm
12" x 4 1/2" 304mm x 114mm



1159
12" x 4 1/2"
304mm x 114mm




622
16 1/2" x 6 3/4"
419mm x 171mm



1128
6" x 2 1/2" 152mm x 63mm
9" x 2 1/2" 228mm x 63mm
12" x 2 1/2" 304mm x 63mm

Trivets, Pokers, Coal Tongs, Brackets, Letter Plate, Basket Hook & Lift Off Hinge

Flower Pot Holder 3612




1163
Height 5" 127mm
Top 10 1/2" x 6" 266mm x 152mm



1223
Height 3 1/2" 89mm
Top 4 7/8" 123mm



1162
Height 4 1/2" 108mm
Top 6 1/2" 165mm




1074
Outside Measurement 12" x 4" 304 x 101mm
Opening 8" x 1 1/2" 203 x 38mm



3025
10" 254mm
Light



3023
11 1/2" 292mm
Heavy



813
4" x 3" 101mm x 76mm
6" x 5" 152mm x 127mm
9" x 7" 228mm x 177mm

Handrail Bracket 3497

Projection 3 1/4" 83mm



4601
Projection 9" 228mm
12" 304mm
15" 381mm



4185
18" 457mm



4187
19" 482mm



**LIFT OF HINGE
1814**
Hinge 11 1/2" 285mm
Plate 3 1/2" x 1" 88 x 25mm

Antique Ironwork

Wall Lights, Hanging Lamps and Door Grilles



Plate 10 1/4" x 1 3/4"
260mm x 44mm

403


Frame 8" x 4 1/2"
203mm x 114mm

403/405

Either pattern can be had with
Wall Bracket, Ceiling Rose or
Corner Bracket.

405

Frame 8" x 4 1/2"
203mm x 114mm
Height 12" 304mm



**Hand forged heavy hanging
lamp and bracket**

401

Hexagon
Bracket 20 1/2" x 3/8" sq. 520mm x 15mm
Plate 8" x 2" 203mm x 50mm

400

Square Pattern (Not Shown)
Cage 7" x 7" Canopy 9" x 9"
177mm x 177mm 228mm x 228mm



407

Plate
13 3/8" x 2 7/8"
339mm x 73mm

Projection
8" 200mm

Cage
7" x 6"
175mm x 150mm



Twin



Single


406

Bracket only supplied, not wired
Candle-drips, bulbs or shades not included



2175

6 3/4" Square
171mm x 171mm



2176

6 3/4" Square
171mm x 171mm
12" Square
304mm x 304mm

Antique Ironwork

Hinges & Hinge Fronts Overall Measurements



1512

8" x 3 3/4" 203mm x 95mm



1513

7 1/2" x 3 1/4" 190mm x 82mm




1516

8" x 4 1/4" 203mm x 108mm



1515

6" x 2 1/2" 152mm x 54mm
10" x 4" 254mm x 101mm



900

9" x 4 1/2" 228mm x 114mm
14 1/2" x 5 3/4" 368mm x 146mm



974

9" x 3" 228mm x 76mm



923

6" x 1 1/4" 152mm x 31mm



1510

5" x 3 3/4" 127mm x 95mm



927

5" x 2 7/8" 127mm x 73mm




926

3 1/2" x 2 1/4" 89mm x 57mm




925

2 3/4" x 2" 70mm x 50mm
2 1/8" x 1 3/4" 54mm x 45mm



1511

5 1/2" x 4 1/2" 139mm x 114mm



820 Hinge Front

6" x 1 5/8" 152 x 41mm 16" x 4 3/4" 406 x 120mm
12" x 2 1/2" 304 x 63mm 18" x 4 3/4" 457 x 120mm



1521

7" x 2" 177mm x 50mm




819

12" x 5 3/4" 304 x 146mm 18" x 5 3/4" 457 x 146mm
15" x 5 3/4" 381 x 146mm 21" x 5 3/4" 533 x 146mm



641

13 3/4" x 3 1/2" 349mm x 89mm



821

8" x 2 1/8" 203 x 54mm 18" x 5 1/2" 457 x 139mm
12" x 3 1/2" 304 x 89mm

Antique Ironwork

Hinge Fronts




823
15" x 4" 381mm x 101mm




798
12" x 5 1/2" 304 x 139mm 18" x 6" 457 x 152mm
15" x 6" 381 x 152mm 21" x 6" 533 x 152mm



654
18" x 4" 457 x 101mm 21" x 6" 533 x 152mm



817
12" x 4 1/2" 304mm x 114mm
16" x 6 1/4" 406mm x 165mm
20" x 8 1/2" 508mm x 216mm




818
16" x 6 1/2" 406mm x 165mm




797
15" x 3 1/4" 381 x 82mm
18" x 3 1/4" 457 x 82mm



977
9 3/4" x 2 1/8" 247mm x 54mm



1160
10 3/4" x 2 1/4" 273mm x 57mm



2151
10" x 5 1/2" 254mm x 139mm




939
8" x 1 1/2" 203mm x 38mm



1060
6" x 1 1/2" 152mm x 38mm



978
4" x 3 1/2" 101mm x 89mm



1057
4 3/4" x 2 1/4" 120mm x 57mm

Antique Ironwork

Safety Door Chains, Draw Lock & Pulls, Box Corners & Cabin Hooks etc



2967
5" x 3" 127mm x 50mm



2968
6" 152mm
8" 203mm



1127
4" 101mm
5" 127mm
6" 152mm



933
6 3/4" x 5 1/4" 171mm x 133mm



932
6" 152mm



931
4 1/2" 114mm

Cupboard Knobs

1195
Knob 1 3/8" 35mm
Rose 1 1/2" 38mm

To Bolt or Screw



1135
Knob 1" 25mm
To Bolt or Screw




1119
Knob 1 7/16" 36mm
Rose 1 1/2" 38mm



3960
4 1/4" 108mm



1549
3 1/2" 89mm



1194
4 5/8" x 2" 117mm x 50mm



834
Plate 6 3/4" x 2 3/4" 171mm x 70mm
Handle 5" 127mm



2587
2 1/2" 63mm



2586
3 1/8" x 1 1/4" 79mm x 31mm
Projection 1 1/4" 31mm


Picture Hook



1238



935
3" x 3" x 1 3/4" 76mm x 76mm x 45mm



936
3" x 3" x 1 3/4" 76mm x 76mm x 45mm

PRIVACY BOLT

Turn Button



1137
2 1/4" 57mm



1150



Antique Ironwork

Bell Pushes & Bell Pulls Bell cranks, fitted and not fitted



1053



828



1253



1777
6 1/2" x 2 1/2"
165mm x 63mm



1778
6" x 3"
152mm x 76mm



1753



1754



1756



1783
5 1/2" x 2"
139mm x 50mm



4748



1759



1761



751

Antique Ironwork

Wardrobe, Hat & Coat Hooks, Name Plates etc



740
8" 203mm



734
4" 101mm



837
5" 127mm



745
6" 152mm



1130
6" 152mm



720
6" 152mm



1174



746



836



1129



1173



4463



767
18" x 3" 457mm x 76mm



766
16" x 2 1/2" 406mm x 63mm



1976
1 3/4" 45mm



1977
2" 50mm



1979
Sizes
2" 50mm 4" 101mm
3" 76mm 6" 152mm



777
14 1/2" x 2 7/8" 368mm x 73mm




672
5 1/4" x 2" 133mm x 50mm
Spike 4 1/4" 108mm

SHUTTER FASTENERS

Antique Ironwork

Casement Fasteners With either Mortice Plate or Hook Plate



Antique Ironwork

Casement Stays Supplied with standard pivots. Locking pivots can be supplied at extra cost.

