

EXIDOR

Duncombe

IRONMONGERY

RANGE BROCHURE



What's inside

- 04 Bolts
- 07 Staples & receivers
- 08 Door holders
- 09 Hasps & staples
- 11 Latches & catches
- 14 Brackets
- 15 Handles
- 16 Door furniture
- 17 Hat & coat hooks
- 18 Window fittings
- 19 Buttons
- 20 Pulleys
- 21 Miscellaneous
- 22 Hinges, hooks & bands
- 25 Skin packed range

Guarantee

To support the high quality and first class engineering that has gone into the Ironmongery range, the manufacturer gives a ten year guarantee (subject to conditions) against defects due to faulty manufacturing, workmanship or defective material. The manufacturer agrees to replace any defective Ironmongery product free of charge provided the product has been fitted in accordance with the fitting instructions and maintained correctly.

Technical Support

Comprehensive information and technical support services are available by contacting:

Tel: +44 (0)1543 460040 Fax: +44 (0)1543 570050
email: technical@exidor.co.uk

Or visit our website:

exidor.co.uk

There are a number of enhancements we've made to the Exidor website. You'll also find new company info, technical data, and downloadable pdfs of the latest product literature – all presented in a clear and contemporary style that we hope you'll enjoy.

We're aiming to keep on improving the website, with more new specifiers on the way, and additions to our gallery of products and projects. If you have comments and ideas on ways we can make it even better and more useful, just let us know.





Introducing the Ironmongery range

Exidor Ltd is the British company that manufactures the Duncombe Ironmongery range, in accordance with ISO 9002. The company had over 60 years experience in manufacturing quality ironmongery such as tower bolts, suffolk latches and hasp and staples before introducing the Exidor panic and emergency exit hardware range and taking ownership of the Webb Lloyd range of door furniture.

The comprehensive Ironmongery range is manufactured out of high quality materials at our factory in Cannock, UK. It is designed for use in the most demanding of environments such as agriculture and industry, but it is also suitable for residential use. The wide range of products, sizes and finishes available means that there should be a Duncombe Ironmongery product for most requirements.

Availability

The Ironmongery Range is available worldwide through all leading architectural ironmongers, builders merchants, agricultural merchants and retail stores.


Duncombe Ironmongery is available in a range of nine finishes:

Epoxy Black, Epoxy White, Epoxy Grey, Spelter Galvanised, Electro Galvanised, Electro Brass, Black Japanned, Anodised Aluminium, Self Colour.


Bolts




TOWER BOLT - 923A						
STEEL BACKPLATE WITH STEEL SHOOT						
Size - overall length of bolt shoot	in	3	4	6	8	10
	mm	76	102	152	203	254
Bolt shoot diameter	in	7/16	7/16	7/16	1/2	1/2
	mm	11	11	11	13	13
Screw holes per bolt		6	8	8	10	10
Screw size (round head)	no.	8	8	8	8	8
Quantity per box		10	10	10	10	10
Weight per 10	kg	1.50	1.90	2.70	4.80	5.80
STANDARD STOCK FINISHES:						
Epoxy black with electro galvanised shoot		●	●	●	●	●
Epoxy white		●	●	●	●	●
Electro galvanised		●	●	●	●	●
Spelter galvanised		●	●	●	●	●



NECKED TOWER BOLT - 923A/N				
STEEL BACKPLATE WITH STEEL SHOOT				
Size - overall length of bolt shoot	in	4	6	8
	mm	102	152	203
Bolt shoot diameter	in	7/16	7/16	9/16
	mm	11	11	13
Screw holes per bolt		8	10	10
Screw size (round head)	no.	8	8	8
Quantity per box		10	10	10
Weight per 10	kg	1.89	2.54	4.51
STANDARD STOCK FINISHES:				
Epoxy black with electro galvanised shoot		●	●	●
Electro galvanised		●	●	●




HEAVY BRENTON PADLOCK BOLT - 1A				
STEEL				
Size - overall length of bolt shoot	in	6	8	10
	mm	152	203	254
Bolt shoot diameter	in	5/8	5/8	5/8
	mm	16	16	16
Screw holes per bolt		6	6	6
Screw size (round head)	no.	10	10	10
Bolt holes per bolt		4	4	4
Bolt size (cup sq)	mm	6	6	6
Quantity per box		5	5	5
Weight per 10	kg	5.34	6.65	7.98
STANDARD STOCK FINISHES:				
Electro galvanised		●	●	●
Spelter galvanised		●	●	●




MEDIUM BRENTON PADLOCK BOLT - 2A					
STEEL					
Size - overall length of bolt shoot	in	4	6	8	10
		102	152	203	254
Bolt shoot diameter	in	1/2	1/2	1/2	1/2
	mm	12	12	12	12
Screw holes per bolt		6	6	6	6
Screw size (round head)	no.	8	8	8	8
Bolt holes per bolt		4	4	4	4
Bolt size (cup sq)	mm	6	6	6	6
Quantity per box		5	5	5	5
Weight per 10	kg	2.94	3.88	4.73	5.48
STANDARD STOCK FINISHES:					
Epoxy black with electro galvanised shoot		●	●	●	●
Electro galvanised		●	●	●	●
Spelter galvanised		●	●	●	●

Bolts




OVAL PADLOCK BOLT - 4A		
STEEL, DOUBLE HANDED		
Size - overall length of bolt shoot	in	4 ½
	mm	114
Bolt shoot diameter	in	½
	mm	12
Bolt holes per bolt		4
Bolt size (cup sq)	mm	8
Quantity per box		10
Weight per 10	kg	3.18
STANDARD STOCK FINISHES:		
Electro galvanised		●
Spelter galvanised		●



HEAVY CROSS PATTERN DOOR BOLT - 597			
STEEL STAPLE			
Size - overall length of bolt shoot	in	12	18
	mm	305	457
Bolt shoot diameter	in	⅝	⅝
	mm	16	16
Screw holes per bolt		8	8
Screw size (round head)	no.	12	12
Screw holes per staple		4	4
Screw size (countersunk)	no.	12	12
Bolt holes per bolt		6	8
Bolt size (cup sq)	mm	8	8
Quantity per box		4	4
Weight per 10	kg	20.40	28.10
STANDARD STOCK FINISHES:			
Spelter galvanised		●	●


BOW HANDLE BOLT - 60BH					
STEEL					
Size - overall length of bolt shoot	in	12	15	18	24
	mm	305	381	457	610
Size of square bolt shoot	in	⅝	⅝	⅝	⅝
	mm	16	16	16	16
Screw holes per bolt		6	6	6	6
Screw size (round head)	no.	10	10	10	10
Quantity per box		5	5	5	5
Weight per 10	kg	10.00	10.90	12.49	14.81
STANDARD STOCK FINISHES:					
Epoxy black with electro galvanised shoot		●	●	●	●
Spelter galvanised		●	●	●	●

Receivers are not included
 See reference no's 482/1 receiver sockets
 483/1 receiver staples
 484/1 receiver plates




MONKEY TAIL BOLT - 60MT					
STEEL					
Size - overall length of bolt shoot	in	12	15	18	24
	mm	305	381	457	610
Size of square bolt shoot	in	⅝	⅝	⅝	⅝
	mm	16	16	16	16
Screw holes per bolt		6	6	6	6
Screw size (round head)	no.	10	10	10	10
Quantity per box		5	5	5	5
Weight per 10	kg	8.35	9.33	10.58	13.29
STANDARD STOCK FINISHES:					
Epoxy black with electro galvanised shoot		●	●	●	●
Spelter galvanised		●	●	●	●

Receivers are not included
 See reference no's 482/1 receiver sockets
 483/1 receiver staples
 484/1 receiver plates




Bolts

CHAIN BOLT - 66		
STEEL, REVERSIBLE SPRING LOADED SHOOT		
Size - overall length of bolt shoot	in	8 ¼
	mm	210
Size of square bolt shoot	in	5/8
	mm	16
Screws round head per bolt		6
Screws countersunk per bolt		4
Screw size	no.	10
Quantity per box		5
Weight per 10	kg	5.87
STANDARD STOCK FINISHES:		
Epoxy black with electro galvanised shoot		●
Electro galvanised		●



To reverse the bolt for inward opening doors, remove the chain from the bolt, reverse the bolt shoot ensuring that the spring is replaced in its original position. Refix chain
Standard length of chain - 18"
Longer chains available to order

GARAGE DOOR SURFACE BOLT WITH RECEIVER PLATE - 1260					
STEEL					
Size - overall length of bolt shoot	in	12	15	18	24
	mm	305	381	457	610
Bolt shoot diameter	in	5/8	5/8	5/8	5/8
	mm	16	16	16	16
Number of straps per bolt		2	2	2	3
Screws round head per bolt		12	12	12	16
Screws countersunk per bolt		4	4	4	4
Screw size	no.	10	10	10	10
Quantity per box		5	5	5	5
Weight per 10	kg	10.20	11.60	13.00	16.30
STANDARD STOCK FINISHES:					
Epoxy black with electro galvanised shoot		●	●	●	●
Spelter galvanised		●	●	●	●




FOOT BOLT - 68		
STEEL, CAST IRON SHOOT		
Size - overall length of bolt shoot	in	8 ¼
	mm	210
Size of square bolt shoot	in	5/8
	mm	16
Screws round head per bolt		4
Screws countersunk per bolt		4
Screw size		10
Quantity per box		5
Weight per 10	kg	7.62
STANDARD STOCK FINISHES:		
Epoxy black with electro galvanised shoot		●
Electro galvanised		●




Alternative receiver not included.
See reference no. 482/1 receiver sockets

GARAGE DOOR LOCKING BOLT WITH RECEIVER PLATE - 1262/H			
STEEL			
Size - overall length of bolt shoot	in	15	18
	mm	381	457
Bolt shoot diameter	in	5/8	5/8
	mm	16	16
Number of straps per bolt		2	2
Screws round head per bolt		16	16
Screws countersunk per bolt		4	4
Screw size	no.	12	12
Bolt holes per bolt		4	4
Bolt size (cup sq)	mm	8	8
Quantity per box		5	5
Weight per 10	kg	14.70	17.40
STANDARD STOCK FINISHES:			
Spelter galvanised		●	●




Staples & Receivers



RECEIVER SOCKET FOR SQUARE BOLT - 482/1		
CAST IRON, FLOOR FIXING, TAPERED SIDES FOR SETTING IN CONCRETE		
For bolt shoot size	in	5/8
	mm	16
Overall size	in	1 1/8 x 1 1/8
	mm	28 x 28
Quantity per box		20
Weight per 10		2.10
STANDARD STOCK FINISHES:		
Electro galvanised		●

This receiver is suitable for use with pattern no's 60BH, 60MT and 68 bolts



RECEIVER STAPLE FOR SQUARE BOLT - 483/1		
STEEL		
For bolt shoot size	in	5/8
	mm	16
Overall size	in	2 x 1 1/4
	mm	50 x 32
Screw holes per receiver		2
Screw size (round head)	no.	10
Quantity per box		20
Weight per 10		0.55
STANDARD STOCK FINISHES:		
Epoxy black		●
Spelter galvanised		●

This receiver is suitable for use with pattern no's 60BH, 60MT and 68 bolts



RECEIVER PLATE FOR SQUARE BOLT - 484/1		
STEEL		
For bolt shoot size	in	5/8
	mm	16
Overall size	in	2 1/16 x 2 1/16
	mm	52 x 52
Screw holes per receiver		4
Screw size (round head)	no.	10
Quantity per box		20
Weight per 10		0.50
STANDARD STOCK FINISHES:		
Electro galvanised		●

This receiver is suitable for use with pattern no's 60BH, 60MT and 68 bolts






Door Holders

GARAGE DOOR HOLDER - 1010/1011/1012/1013


STEEL, NYLON CORD		SENIOR		JUNIOR	
		Wide lintel	Narrow lintel	Wide lintel	Narrow lintel
		1010	1011	1012	1013
Size - overall length of bar	in	24	24	15	15
	mm	610	610	381	381
Screws round head per holder		4	8	2	6
Screws countersunk per holder		4	-	4	-
Bolt holes per holder		1	2	-	1
Bolt size (cup sq)	mm	6	6	-	6
Quantity per box		1pr	1pr	1pr	1pr
Weight per 10	kg	23.00	24.00	16.50	17.50
STANDARD STOCK FINISHES:					
Epoxy black		●	●	●	●

Complete with screws, bolts and fitting instructions.




CABIN HOOK - 28


STEEL					
Size - overall length of hook	in	4	6	8	10
	mm	102	152	203	254
Wire hook diameter	in	1/4	1/4	5/16	5/16
	mm	6	6	8	8
Screw holes per hook		8	8	8	8
Screw size (countersunk)	no.	8	8	8	8
Quantity per box		25	25	25	25
Weight per 10	kg	1.09	1.27	1.71	1.91
STANDARD STOCK FINISHES:					
Epoxy black		●	●	●	●
Electro galvanised		●	●	●	●
Spelter galvanised		●	●	●	●
Epoxy white		●	●	●	●



Hasps & Staples




WIRE HASP & STAPLE - 610				
STEEL				
Size - overall length	in	3	4	5
	mm	76	102	127
Screw holes per set		5	7	8
Screw size (round head)	no.	6	8	8
Bolt holes per hasp		-	-	1
Bolt size (cup sq.)	mm	-	-	6
Quantity per box		50	50	25
Weight per 10	kg	0.29	0.47	0.87
STANDARD STOCK FINISHES:				
Epoxy black		●	●	●
Electro galvanised		●	●	●



SAFETY HASP & STAPLE - 617				
STEEL				
Size - overall length when closed	in	3	4 ½	6
	mm	76	114	152
Screw holes per set		6	8	8
Screw size (countersunk)	no.	8	8	8
Quantity per box		10	10	10
Weight per 10	kg	1.00	1.40	1.60
STANDARD STOCK FINISHES:				
Epoxy black		●	●	●
Electro galvanised		●	●	●

When fastened all screw heads are concealed.





HEAVY SAFETY HASP & STAPLE - 618		
STEEL		
Size - overall length when closed	in	7
	mm	178
Screw holes per set		8
Screw size (countersunk)	no.	12
Quantity per box		5
Weight per 10	kg	7.00
STANDARD STOCK FINISHES:		
Epoxy black		●
Spelter galvanised with brass pin		●

When fastened all screw heads are concealed.






Hasps & Staples



MEDIUM PATTERN HASP & STAPLE - 149/M		
STEEL		
Size - overall length	in	8
	mm	203
Screw holes per set		8
Screw size (countersunk)	no.	10
Bolt holes per hasp		1
Bolt size (cup sq.)	mm	8
Quantity per box		10
Weight per 10	kg	3.70
STANDARD STOCK FINISHES:		
Epoxy black		●
Electro galvanised		●
Spelter galvanised with brass pin		●

HEAVY PATTERN HASP & STAPLE - 149/H			
STEEL			
Size - overall length	in	8	10
	mm	203	254
Screw holes per set		8	8
Screw size (round head)	no	12	12
Bolt holes per hasp		1	1
Bolt size (cup sq.)	mm	12	12
Quantity per box		5	5
Weight per 10	kg	6.20	7.40
STANDARD STOCK FINISHES:			
Epoxy black		●	●
Electro galvanised			●
Spelter galvanised with brass pin		●	●




Standard fixing


HEAVY VERTICAL HASP & STAPLE - 146		
STEEL		
Size - overall length	in	6
	mm	152
Screw holes per set		8
Screw size (countersunk)	no	12
Bolt holes per hasp		2
Bolt size (cup sq.)	mm	10
Quantity per box		5
Weight per 10	kg	6.60
STANDARD STOCK FINISHES:		
Epoxy black		●
Electro galvanised		●

HEAVY SWIVEL LOCKING BAR - 147				
STEEL				
Size - overall length	in	8	10	12
	mm	203	254	305
Catches per bar		-	-	1
Screw holes per set		8	8	12
Screw size (countersunk)	no	12	12	12
Quantity per box		5	5	5
Weight per 10	kg	8.10	9.20	11.70
STANDARD STOCK FINISHES:				
Epoxy black		●	●	●
Spelter galvanised with brass pin		●	●	●


Latches & Catches




SUFFOLK LATCH, LIGHT PATTERN - 20			
STEEL		20/2	20/3
Size - overall length of plate	in	7	7 ½
	mm	178	191
Width of plate	in	1 ¾	1 ⅞
	mm	44	48
Screw holes per set		12	12
Screw size (round head)	no.	8	8
Quantity per box		5	5
Weight per 10	kg	4.30	4.70
STANDARD STOCK FINISHES:			
Epoxy black		●	●
Electro galvanised		●	●
Spelter galvanised		●	●



SUFFOLK LATCH, MEDIUM PATTERN (WITH HEAVY FURNITURE) - 20			
STEEL		20/4	
Size - overall length of plate	in	8	
	mm	203	
Width of plate	in	2	
	mm	51	
Screw holes per set		14	
Screw size (round head)	no.	10	
Quantity per box		5	
Weight per 10	kg	6.10	
STANDARD STOCK FINISHES:			
Epoxy black		●	
Electro galvanised		●	
Spelter galvanised		●	




SUFFOLK LATCH, HEAVY PATTERN - 50			
STEEL		50/4	
Size - overall length of plate	in	8 ½	
	mm	216	
Width of plate	in	2	
	mm	51	
Screw holes per set		14	
Screw size (round head)	no.	10	
Quantity per box		5	
Weight per 10	kg	7.10	
STANDARD STOCK FINISHES:			
Epoxy black		●	
Electro galvanised		●	
Spelter galvanised		●	




BARRACK LATCH WEIGHTY PATTERN - 890			
STEEL			
Size - overall length of plate	in	9	
	mm	229	
Width of plate	in	2 ¼	
	mm	57	
Screw holes per set		20	
Screw size (round head)	no.	10	
Quantity per box		5	
Weight per 10	kg	10.10	
STANDARD STOCK FINISHES:			
Epoxy black		●	
Spelter galvanised		●	

Latches & Catches




GOTHIC LATCH HEAVY - 91			
STEEL			
Size - overall length of plate	in	10	
	mm	254	
Width of plate	in	2	
	mm	51	
Screw holes per set		14	
Screw size (round head)	no.	10	
Quantity per box		5	
Weight per 10	kg	8.80	
STANDARD STOCK FINISHES:			
Epoxy black		●	
Electro galvanised		●	
Spelter galvanised		●	




RING HANDLE GATE LATCH - 1136				
STEEL, WITH PLAIN RING				
Size - overall length of bar	in	5	6	7
	mm	127	152	178
Screw holes per set		12	12	12
Screw size (round head)	no.	8	8	8
Quantity per box		5	5	5
Weight per 10	kg	6.10	6.40	6.70
STANDARD STOCK FINISHES:				
Epoxy black		●	●	●
Electro galvanised		●	●	●
Spelter galvanised		●	●	●

Complete with 4" plain spindle




RING HANDLE GATE LATCH - 1137				
STEEL, WITH TWISTED MALLEABLE IRON RING				
Size - overall length of bar	in	5	6	7
	mm	127	152	178
Screw holes per set		12	12	12
Screw size (round head)	no.	8	8	8
Quantity per box		5	5	5
Weight per 10	kg	6.10	6.40	6.70
STANDARD STOCK FINISHES:				
Epoxy black		●	●	●
Spelter galvanised		●	●	●

Complete with 4" plain spindle



AUTO GATE CATCH, LIGHT PATTERN - 1819		
STEEL, WITH STEEL PEG		
Size - projection width and depth	in	2
	mm	51
Screw holes per catch		4
Screw size (round head)	no.	8
Screw holes per peg		2
Screw size (countersunk)	no.	8
Quantity per box		10
Weight per 10	kg	1.58
STANDARD STOCK FINISHES:		
Epoxy black		●
Electro galvanised		●

Latches & Catches




AUTO GATE CATCH, HEAVY PATTERN - 1822

STEEL, WITH MALLEABLE IRON PEG

Size - projection width and depth	in	2 ¼
	mm	57
Screw holes per catch		4
Screw size (round head)	no.	10
Screw holes per peg		2
Screw size (countersunk)	no.	12
Quantity per box		10
Weight per 10	kg	3.45

STANDARD STOCK FINISHES:

Spelter galvanised		●
--------------------	--	---



KICKOVER STABLE LATCH - 4203

STEEL


Size - overall length of bar	in	9 ½
	mm	241
Width and thickness of bar	in	1 ¾ x ¼
	mm	44 x 6
Screw holes per set		12
Screw size (countersunk)	no.	12
Quantity per box		5
Weight per 10	kg	14.60

STANDARD STOCK FINISHES:


Spelter galvanised		●
--------------------	--	---




Brackets




HANDRAIL BRACKET - 236				
STEEL				
Size - projection from wall	in	2	2 ½	3
	mm	51	64	76
Screw holes per bracket		5	5	5
Screw size (countersunk)	no.	10	10	10
Quantity per box		10	10	10
Weight per 10	kg	1.61	1.71	1.82
STANDARD STOCK FINISHES:				
Epoxy grey		●	●	●
Electro galvanised		●	●	●
Epoxy white		●	●	●



SHELF BRACKET - 240									
STEEL									
Size - height x projection	in	4 x 3	5 x 4	6 x 5	8 x 6	9 x 7	10 x 8	12 x 10	14 x 12
	mm	102 x 76	127 x 102	152 x 127	203 x 152	229 x 178	254 x 203	305 x 254	356 x 305
Screw holes per bracket		6	6	6	6	6	6	6	6
Screw size (countersunk)	no.	6	6	6	6	8	8	8	8
Quantity per box		20	20	20	20	20	20	20	20
Weight per 10	kg	0.33	0.48	0.61	0.94	1.12	1.35	2.26	2.96
STANDARD STOCK FINISHES:									
Grey		●	●	●	●	●	●	●	●
White		●	●	●	●	●	●	●	●



STAY SHELF BRACKET, STRONG PATTERN - 422			
STEEL			
Size - height x projection	in	16 x 14	18 x 16
	mm	406 x 356	457 x 406
Screw holes per bracket		6	6
Screw size (round head)	no.	10	10
Quantity per box		10	10
Weight per 10	kg	8.50	9.20
STANDARD STOCK FINISHES:			
Grey		●	●




FLUTED ANGLE BRACKET - 247								
STEEL								
Size - height x projection	in	3 x 2	4 x 3	5 x 4	6 x 5	8 x 6	10 x 8	12 x 10
	mm	76 x 51	102 x 76	127 x 102	152 x 127	203 x 152	254 x 203	305 x 254
Screw holes per bracket		4	4	4	4	4	4	4
Screw size (round head)	no.	8	8	8	8	10	10	10
Quantity per box		20	20	20	20	20	20	20
Weight per 10	kg	0.96	1.35	1.75	2.16	3.30	4.20	5.40
STANDARD STOCK FINISHES:								
Spelter galvanised		●	●	●	●	●	●	●

Handles




HOT BED HANDLE - 44			
CAST IRON			
Size - overall length of handle	in	6	7
	mm	152	178
Screw holes per handle		4	4
Screw size (countersunk)	no.	8	8
Quantity per box		25	25
Weight per 10	kg	0.76	0.96
STANDARD STOCK FINISHES:			
Epoxy black		●	●
Spelter galvanised		●	●




TUBULAR HANDLE - 332			
STEEL			
Size - overall length of handle	in	6	7
	mm	152	178
Screw holes per handle		4	4
Screw size (countersunk)	no.	8	8
Quantity per box		20	20
Weight per 10	kg	0.72	0.76
STANDARD STOCK FINISHES:			
Epoxy black		●	●
Electro galvanised		●	●




Door Furniture



OVAL KNOB FURNITURE - 252			
CAST IRON, COMPLETE WITH SPINDLE		252Q	252U
		RIM	MORTICE
Size - overall width of knob	in	2 3/8	2 3/8
	mm	60	60
Overall length of spindle	in	5	4
	mm	127	102
Screw holes per set		5	10
Screw size (countersunk)	no.	6	6
Quantity per box		5	5
Weight per 10	kg	5.27	5.82
STANDARD STOCK FINISHES:			
Epoxy black		●	●



BALL KNOB FURNITURE - 253			
CAST IRON, COMPLETE WITH SPINDLE		253Q	253U
		RIM	MORTICE
Size - overall diameter off knob	in	1 3/4	1 3/4
	mm	44	44
Overall length of spindle	in	5	4
	mm	127	102
Screw holes per set		5	10
Screw size (countersunk)	no.	6	6
Quantity per box		5	5
Weight per 10	kg	5.11	5.72
STANDARD STOCK FINISHES:			
Epoxy black		●	●



OCTAGONAL KNOB FURNITURE - 255			
CAST IRON, COMPLETE WITH SPINDLE		255Q	255U
		RIM	MORTICE
Size - overall diameter of knob	in	2 1/4	2 1/4
	mm	57	57
Overall length of spindle	in	5	4
	mm	127	102
Screw holes per set		4	8
Screw size (countersunk)	no.	6	6
Quantity per box		5	5
Weight per 10	kg	7.35	8.21
STANDARD STOCK FINISHES:			
Epoxy black		●	●




OVAL ESCUTCHEON - 276		
CAST IRON		
Size - overall length	in	2
	mm	51
Screw holes per escutcheon		2
Screw size (countersunk)	no.	6
Quantity per box		50
Weight per 10	kg	0.20
STANDARD STOCK FINISHES:		
Epoxy black		●


Notice lock furniture comprises 2 knobs, 2 rose plates, 2 escutcheons, 1 only 4" spindle, 2 only 3/16" BSW locking screws.

Rim lock furniture comprises 2 knobs, 1 rose plate, 1 escutcheon, 1 only 5" spindle, 2 only 3/16" BSW locking screws.

Hat & Coat Hooks



HAT & COAT HOOK - 1030		
ALUMINIUM, WITH SCREWS		
Size - overall length	in	5
	mm	127
Screw holes per hook		2
Screw size (raised head)	no.	6
Quantity per box		50
Weight per 10	kg	0.42
STANDARD STOCK FINISHES:		
Anodised aluminium		●




WARDROBE HOOK - 1030/W		
ALUMINIUM, WITH SCREWS		
Size - overall length	in	2
	mm	51
Screw holes per hook		2
Screw size (raised head)	no.	6
Quantity per box		100
Weight per 10	kg	0.19
Standard stock finishes:		
Anodised aluminium		●



HAT & COAT HOOK - 622/A		
CAST IRON, WITH SCREWS		
Size - overall length	in	4 ½
	mm	114
Screw holes per hook		2
Screw size (raised head)	no.	6
Quantity per box		10
Weight per 10	kg	1.06
STANDARD STOCK FINISHES:		
Epoxy white		●




Window Fittings




CASEMENT FASTENER REVERSIBLE - 521			
MALLEABLE IRON WITH STEEL MORTICE / HOOK PLATE		521/M MORTICE PLATE	521/H HOOK PLATE
Screw holes per Fasteners		4	4
Screw size (countersunk)	no.	8	8
Quantity per box		10	10
Weight per 10	kg	1.29	1.56
STANDARD STOCK FINISHES:			
Epoxy black		●	●

To reverse fastener remove cotter pin and rivet, turn handle over and replace rivet and cotter pin.



CASEMENT FASTENER REVERSIBLE - 550			
MALLEABLE IRON WITH STEEL MORTICE / HOOK PLATE		550/M MORTICE PLATE	550/H HOOK PLATE
Screw holes per Fasteners		4	4
Screw size (countersunk)	no.	8	8
Quantity per box		10	10
Weight per 10	kg	1.25	1.53
STANDARD STOCK FINISHES:			
Epoxy black		●	●


To reverse fastener remove cotter pin and rivet, turn handle over and replace rivet and cotter pin.



CASEMENT STAY, CURL END - 561				
STEEL				
Size - overall length of stay	in	8	10	12
	mm	203	254	305
Screw holes per set		4	4	4
Screw size (countersunk)	no.	8	8	8
Quantity per box		10	10	10
Weight per 10	kg	1.62	1.85	2.15
STANDARD STOCK FINISHES:				
Epoxy black		●	●	●



Window Fittings



QUADRANT STAY - 790				
STEEL, PAIRS				
Size - length of arc	in	6	8	10
	mm	152	203	254
Screw holes per pair		4	6	6
Screw size (countersunk)	no.	8	8	8
Pairs per box		10	10	10
Weight per 10 pairs	kg	1.79	2.17	2.91
STANDARD STOCK FINISHES:				
Epoxy black		●	●	●
Epoxy white		●	●	●




SASH HOOK - 216		
CAST IRON		
Size - pole diameter	in	1
	mm	25
Screw holes per hook		2
Screw size (countersunk)	no.	6
Quantity per box		10
Weight per 10	kg	1.70
STANDARD STOCK FINISHES:		
Electro brass		●

Buttons


PLAIN PATTERN CUPBOARD BUTTON - 55			
CAST IRON			
Size - overall length of button	in	1 ½	2
	mm	38	51
Screw holes per button		1	1
Screw size (countersunk)	no	6	10
Quantity per box		100	100
Weight per 10	kg	0.11	0.19
STANDARD STOCK FINISHES:			
Epoxy black		●	●
Electro galvanised		●	●




Pulleys



SINGLE SIDE PULLEY - 31/N		
STEEL, WHITE NYLON WHEEL		
Size - wheel diameter	in	1 1/2
	mm	38
Screw holes per pulley		2
Screw size (round head)	no.	8
Quantity per box		10
Weight per 10	kg	0.80
STANDARD STOCK FINISHES:		
Epoxy black		●




SINGLE SCREW PULLEY - 41/N		
STEEL, WHITE NYLON WHEEL		
Size - wheel diameter	in	1 3/4
	mm	44
Quantity per box		10
Weight per 10	kg	0.90
STANDARD STOCK FINISHES:		
Epoxy black		●
Epoxy white		●




DOUBLE SCREW PULLEY - 42/N		
STEEL, WHITE NYLON WHEEL		
Size - wheel diameter	in	1 3/4
	mm	44
Quantity per box		10
Weight per 10	kg	1.40
STANDARD STOCK FINISHES:		
Epoxy black		●
Epoxy white		●

AXLE PULLEY - 202				
STEEL, WHITE NYLON WHEEL	202/S		202/Q	202/BS
	SQUARE END	ROUND END	BRASS FACE	
Size - wheel diameter	in	1 3/4	1 3/4	1 3/4
	mm	44	44	44
Overall length of plate	in	4 1/8	4 1/8	4 1/8
	mm	104	104	104
Overall width of plate	in	1	1	1
	mm	25	25	25
Screw holes per pulley		2	2	2
Screw size (countersunk)	no.	8	8	8
Quantity per box		10	10	10
Weight per 10	kg	1.40	1.35	1.50
STANDARD STOCK FINISHES:				
Electro galvanised		●	●	●




202/S




202/Q

Pulleys



SINGLE UPRIGHT PULLEY, ACROSS PLATE - 264/N		
STEEL, WHITE NYLON WHEEL		
Size - wheel diameter	in	1 ½
	mm	38
Screw holes per pulley		2
Screw size (round head)	no.	8
Quantity per box		10
Weight per 10	kg	0.80
STANDARD STOCK FINISHES:		
Epoxy black		●




SINGLE UPRIGHT PULLEY, ALONG PLATE - 268/N		
STEEL, WHITE NYLON WHEEL		
Size - wheel diameter	in	1 ½
	mm	38
Screw holes per pulley		2
Screw size (round head)	no.	8
Quantity per box		10
Weight per 10	kg	0.80
STANDARD STOCK FINISHES:		
Epoxy black		●



Miscellaneous




CLEAT HOOK - 150					
CAST IRON					
Size - overall length of hook	in	3	4	5	6
	mm	76	102	127	152
Screw holes per hook		2	2	2	2
Screw size (countersunk)	no.	8	8	10	10
Quantity per box		25	25	25	25
Weight per 10	kg	0.38	0.58	0.87	1.10
STANDARD STOCK FINISHES:					
Epoxy white		●	●	●	●
Electro galvanised		●	●	●	●
Spelter galvanised		●	●	●	●




RACK END - 151		
CAST IRON		
Size - overall length	in	14 ¼
	mm	362
To suit rods	in	1½ x ⅝
	mm	38 x 16
Quantity per box		10
Weight per 10	kg	3.85
STANDARD STOCK FINISHES:		
Epoxy white		●

Hinges, Hooks & Bands




LIGHT TEE HINGE - 452						
STEEL						
Size - length of tail	in	4	6	8	10	12
	mm	102	152	203	254	305
Screw holes per hinge		6	7	7	7	7
Screw size	no.	6	7	8	8	8
Pairs per box		10	10	10	10	10
Weight per 10 pairs	kg	0.85	1.50	2.20	2.70	3.80
STANDARD STOCK FINISHES:						
Black japanned		●	●	●	●	●
Electro galvanised		●	●	●	●	●



MEDIUM TEE HINGE - 13						
STEEL						
Size - length of tail	in	10	12	14	16	18
	mm	254	305	356	406	457
Screw holes per hinge		7	8	9	9	9
Screw size	no.	8	8	10	10	10
Pairs per box		5	5	5	5	5
Weight per 10 pairs	kg	3.60	4.90	6.00	9.00	10.50
STANDARD STOCK FINISHES:						
Black japanned		●	●	●	●	●
Electro galvanised		●	●	●	●	●

Hinges, Hooks & Bands




LIGHT WEIGHTY TEE HINGE - 910

STEEL

Size - length of tail	in	6	9	10	12	14	15	16	18	24
	mm	152	229	254	305	356	381	406	457	610
Screw holes per hinge		7	7	7	9	9	9	9	9	9
Screw size	no.	12	12	14	14	14	14	14	14	14
Pairs per carton		10	10	10	10	5	5	5	5	5
Weight per 10 pairs	kg	4.20	6.40	8.80	10.40	16.00	16.40	17.00	22.00	30.00

STANDARD STOCK FINISHES:

Self colour		●	●	●	●	●	●	●	●	●
Electro galvanised		●	●	●	●	●	●	●	●	●



HEAVY REVERSIBLE HINGE - 499


STEEL BAND, CAST IRON CUPS

Size - length of band	in	10	12	14	16	18	20	24	30	36	42	48
	mm	254	305	356	406	457	508	610	762	914	1,067	1,219
Screw holes per pair		20	20	20	20	22	22	22	24	24	24	24
Screw size	no.	12	12	12	12	14	14	14	16	16	16	16
Bolt holes per pair		2	2	2	2	2	2	2	2	2	2	2
Bolt size (cup sq.)	mm	10	10	10	10	10	10	12	12	12	12	12
Packed loose in pairs		●	●	●	●	●	●	●	●	●	●	●
Weight per 10 pairs	kg	16.00	17.00	24.00	25.00	31.00	35.00	55.00	74.00	117.00	130.00	142.00


STANDARD STOCK FINISHES:

Self colour		●	●	●	●	●	●	●	●	●	●	●
Spelter galvanised		●	●	●	●	●	●	●	●	●	●	●

Hinges, Hooks & Bands



HEAVYWEIGHT HOOKS & BANDS - FOLDED - 1055													
STEEL													
Size - length of band	in	10	12	14	15	16	18	20	24	30	36	42	48
	mm	254	305	356	381	406	457	508	610	762	914	1,067	1,219
Screw holes per pair		12	12	12	12	14	14	14	14	16	16	16	16
Screw size	no.	12	12	12	12	12	14	14	14	16	16	16	16
Bolt holes per pair		2	2	2	2	2	2	2	2	2	2	2	2
Bolt size (cup sq.)	mm	10	10	10	10	10	10	10	12	12	12	12	12
Packed loose in pairs		●	●	●	●	●	●	●	●	●	●	●	●
Weight per 10 pairs	kg	15.00	17.00	24.00	24.00	25.00	33.00	36.00	54.00	71.00	120.00	132.00	145.00
STANDARD STOCK FINISHES:													
Self colour		●	●	●	●	●	●	●	●	●	●	●	●
Spelter galvanised		●	●	●	●	●	●	●	●	●	●	●	●
Epoxy black		●	●	●	●	●	●	●	●	●	●	●	●



HEAVYWEIGHT HOOKS & BANDS - CRANKED - 1056													
STEEL													
Size - length of band	in	10	12	14	15	18	20	24	30	36	42	48	
	mm	254	305	356	381	457	508	610	762	914	1,067	1,219	
Screw holes per pair		12	12	12	12	14	14	14	16	16	16	16	
Screw size	no.	12	12	12	12	14	14	14	16	16	16	16	
Bolt holes per pair		2	2	2	2	2	2	2	2	2	2	2	
Bolt size (cup sq.)	mm	10	10	10	10	10	10	12	12	12	12	12	
Packed loose in pairs		●	●	●	●	●	●	●	●	●	●	●	
Weight per 10 pairs	kg	15.00	17.00	24.00	24.00	33.00	36.00	54.00	71.00	120.00	132.00	145.00	
STANDARD STOCK FINISHES:													
Self colour		●	●	●	●	●	●	●	●	●	●	●	●
Spelter galvanised		●	●	●	●	●	●	●	●	●	●	●	●
Epoxy black		●	●	●	●	●	●	●	●	●	●	●	●

Skin Packed Product (with screws & fixings)

TOWER BOLT - 923A

SIZE		FINISH				QUANTITY PER CARD	CARDS PER BOX
in	mm	Epoxy black	Epoxy white	Electro galvanised	Spelter galvanised		
3	76	●				1	10
4	102	●	●	●		1	10
6	152	●	●	●	●	1	10
8	203	●		●	●	1	10

HEAVY BRENTON PADLOCK BOLT - 1A

SIZE		FINISH				QUANTITY PER CARD	CARDS PER BOX
in	mm	Epoxy black	Epoxy white	Electro galvanised	Spelter galvanised		
6	152			●	●	1	10
8	203			●	●	1	10
10	254			●	●	1	10

MEDIUM BRENTON PADLOCK BOLT - 2A

SIZE		FINISH				QUANTITY PER CARD	CARDS PER BOX
in	mm	Epoxy black	Epoxy white	Electro galvanised	Spelter galvanised		
4	102	●		●		1	10
6	152	●		●		1	10
8	203	●		●		1	10
10	254	●		●		1	10

OVAL PADLOCK BOLT - 4A






SIZE		FINISH				QUANTITY PER CARD	CARDS PER BOX
in	mm	Epoxy black	Epoxy white	Electro galvanised	Spelter galvanised		
4 ½	114			●	●	1	10

GARAGE DOOR SURFACE BOLT - 1260

SIZE		FINISH				QUANTITY PER CARD	CARDS PER BOX
in	mm	Epoxy black	Epoxy white	Electro galvanised	Spelter galvanised		
12	305	●				1	5
15	381	●				1	5
18	457	●				1	5

CABIN HOOK - 28

SIZE		FINISH				QUANTITY PER CARD	CARDS PER BOX
in	mm	Epoxy black	Epoxy white	Electro galvanised	Spelter galvanised		
4	102	●		●		1	10
6	152	●		●		1	10
8	203	●		●		1	10



Skin Packed Product (with screws & fixings)

WIRE HASP & STAPLE - 610

SIZE		FINISH				QUANTITY PER CARD	CARDS PER BOX
in	mm	Epoxy black	Epoxy white	Electro galvanised	Spelter galvanised		
4	102	●		●		1	10

SAFETY HASP & STAPLE - 617

SIZE		FINISH				QUANTITY PER CARD	CARDS PER BOX
in	mm	Epoxy black	Epoxy white	Electro galvanised	Spelter galvanised		
3	76	●	●			1	10
4 ½	114	●	●			1	10
6	152	●	●			1	10

HEAVY VERTICAL HASP & STAPLE - 146

SIZE		FINISH				QUANTITY PER CARD	CARDS PER BOX
in	mm	Epoxy black	Epoxy white	Electro galvanised	Spelter galvanised		
6	152	●				1	5

HEAVY SWIVEL LOCKING BAR - 147

SIZE		FINISH				QUANTITY PER CARD	CARDS PER BOX
in	mm	Epoxy black	Epoxy white	Electro galvanised	Spelter galvanised		
8	203	●				1	5

MEDIUM PATTERN HASP & STAPLE - 149/M

SIZE		FINISH				QUANTITY PER CARD	CARDS PER BOX
in	mm	Epoxy black	Epoxy white	Electro galvanised	Spelter galvanised		
8	203	●		●		1	10

HEAVY PATTERN HASP & STAPLE - 149/H









SIZE		FINISH				QUANTITY PER CARD	CARDS PER BOX
in	mm	Epoxy black	Epoxy white	Electro galvanised	Spelter galvanised		
8	203	●				1	5
10	254	●		●		1	5

SUFFOLK LATCH LIGHT PATTERN - 20 / 2

SIZE		FINISH				QUANTITY PER CARD	CARDS PER BOX
in	mm	Epoxy black	Epoxy white	Electro galvanised	Spelter galvanised		
7	178	●		●		1	5

SUFFOLK LATCH LIGHT PATTERN - 20 / 3

SIZE		FINISH				QUANTITY PER CARD	CARDS PER BOX
in	mm	Epoxy black	Epoxy white	Electro galvanised	Spelter galvanised		
7 ½		●		●		1	5



Skin Packed Product (with screws & fixings)

PLAIN RING HANDLE GATE LATCH - 1136							
SIZE		FINISH				QUANTITY PER CARD	CARDS PER BOX
in	mm	Epoxy black	Epoxy white	Electro galvanised	Spelter galvanised		
6	152	●			●	1	5
7	178	●				1	5

TWISTED RING HANDLE GATE LATCH - 1137							
SIZE		FINISH				QUANTITY PER CARD	CARDS PER BOX
in	mm	Epoxy black	Epoxy white	Electro galvanised	Spelter galvanised		
6	152	●			●	1	5

AUTO GATE CATCH LIGHT PATTERN - 1819							
SIZE		FINISH				QUANTITY PER CARD	CARDS PER BOX
in	mm	Epoxy black	Epoxy white	Electro galvanised	Spelter galvanised		
2	51	●		●		1	10







HANDRAIL BRACKET - 236							
SIZE		FINISH				QUANTITY PER CARD	CARDS PER BOX
in	mm	Epoxy black	Epoxy white	Electro galvanised	Spelter galvanised		
2 ½	64	●	●			1	10
3	76	●	●			1	10

OCTAGONAL KNOB FURNITURE - 255							
TYPE	FINISH				QUANTITY PER CARD	CARDS PER BOX	
	Epoxy black	Epoxy white	Electro galvanised	Spelter galvanised			
Mortice	●				1	5	
Rim	●				1	5	

CASEMENT STAY, CURL END - 561							
SIZE		FINISH				QUANTITY PER CARD	CARDS PER BOX
in	mm	Epoxy black	Epoxy white	Electro galvanised	Spelter galvanised		
10	254	●				1	10
12	305	●				1	10

CASEMENT FASTENER WITH MORTICE & HOOK PLATE - 550/M/H							
No.	FINISH				QUANTITY PER CARD	CARDS PER BOX	
	Epoxy black	Epoxy white	Electro galvanised	Spelter galvanised			
550/M/H	●				1	10	

SCREW PULLEY - 41/N, 42/N								
	SIZE		FINISH				QUANTITY PER CARD	CARDS PER BOX
	in	mm	Epoxy black	Epoxy white	Electro galvanised	Spelter galvanised		
Single	1 ¾	44		●			1	10
Double	1 ¾	44		●			1	10




Single
Double

Exidor Limited

Progress Drive, Cannock
Staffordshire, WS11 0JE
England, UK

Tel: +44 (0)1543 578661
Fax: +44 (0)1543 570050
Web: www.exidor.co.uk
Email: sales@exidor.co.uk



Every effort has been made to ensure the accuracy of the particulars contained in this brochure. All details and specifications were deemed correct at time of going to press. However, Exidor Limited reserve the right to alter specifications with or without prior notice and at such times in a manner they think fit. Customers are advised to call Exidor Limited on +44 (0) 1543 578661 if they require further details or clarification of specifications.